British Journal of Dermatology 2001; **144**: 1296–1314.

Index

Authors

ABE, R. *see* KODAMA, K.
ABERER, E. *see* BREIER, F.
ACHAR, A. *see* SHARMA, V.K.
AGARWAL, S. Nasolabial follicular sebaceous casts: a novel complication of isotretinoin therapy: reply from author, 919
AGARWAL, S. *see* AHMED, I.
AGARWAL, S. *see* TAKWALE, A.
AGUILAR-MARTINEZ, P. *see* DEREURE, O.
AHMED, I., AGARWAL, S., ILCHYSHYN, A., CHARLES-HOLMES, S. & BERTH-JONES, J. Liquid nitrogen cryotherapy of common warts: cyro-spray vs. cotton wool bud, 1006
AHN, S.K. *see* KIM, T-H.
AIBA, S. *see* HISHINUMA, T.
AIHARA, M., SUGITA, Y., TAKAHASHI, S., NAGATANI, T., ARATA, S., TAKEUCHI, K. & IKEZAWA, Z. Anticonvulsant hypersensitivity syndrome associated with reactivation of cytomegalovirus, 1231
AIOI, A., TONOGAITO, H., SUTO, H., HAMADA, K., RA, C., OGAWA, H., MAIBACH, H. & MATSUDA, H. Impairment of skin barrier function in NC/Nga Tnd mice as a possible model for atopic dermatitis, 12
AKDAS, A. *see* KÖSE, K.
AKIYAMA, M. & INAMOTO, N. Arteriovenous haemangioma in chronic liver disease: clinical and histopathological features of four cases, 604
AKIYAMA, M. *see* SUEKI, H.
AKIYAMA, M., TAKIZAWA, Y., KOKAJI, T. & SHIMIZU, H. Novel mutations of TGM1 in a child with congenital ichthyosiform erythroderma, 401
AKIYAMA, T. *see* ICHIKI, Y.
AKMAN, R.Y. *see* KAVAK, A.
ALAIBAC, M., BELLONI-FORTINA, A., MORI, M., PIGOZZI, B., PESERICO, A. & PIMPINELLI, N. Immunoglobulin heavy chain variable region family expression in primary cutaneous follicle centre cell lymphomas, 862
ALBARES, M.P. *see* CARNERO, L.
ALLAN, S.J.R. & TIDMAN, M.J. Dermatology dressings: an incendiary potential, 649
ALLEN, B.R. *see* EMERSON, R.M.
ALLEN, B.R. Thalidomide, 227
ALLEN, J. *see* GOOPTU, C.
ALLEN, J. *see* POWELL, J.
ALLEN, J., SHEARS, E., POWELL, J. & WOJNAROWSKA, F. Assessment of skin basement membrane zone antibodies in the urine of patients with acquired subepidermal immunobullous diseases, 540
ALMAGRO, M. *see* PEÑA PENABAD, C.
AL-MASAOUDI, T. *see* SACHS, B.
ALOMAR, A. *see* VIDAL, D.
ALPER, M. *see* KAVAK, A.
ALTMEYER, P. *see* AVERMAETE, A.
ALTMEYER, P. *see* GAMBICHLER, T.
ALTMEYER, P. *see* JANSEN, T.
ALTMEYER, P. *see* JANSEN, T.J.
ALTMEYER, P. *see* RING, J.
ALVARADO, M.I. *see* GONZALO, M.A.
ALVARENGA, F.B.F. *see* MORAES, M.O.
AMAGAI, M. *see* GOOPTU, C.
AMAGAI, M. *see* KOMAI, A.
AMAGAI, M. *see* OGATA, K.
AMAN, S., HAROON, T.S., HUSSAIN, I., JAHANGIR, M. & BOKHARI, M.A. Distal and lateral subungual onychomycosis with primary onycholysis caused by *Trichophyton violaceum*, 212
AMEMIYA, M. *see* SUEKI, H.
AMERIO, P., TOTO, P., FELICIANI, C., SUZUKI, H., SHIVJI, G., WANG, B. & SNAUDER, D.N. Rethinking the role of tumour necrosis factor-α; in ultraviolet (UV) B-induced immunosuppression: altered immune response in UV-irradiated TNFR1R2 gene-targeted mutant mice, 952
AMORIC, J.C. *see* DUPUY, P.
ANDERSEN, K.E. *see* MORTZ, C.G.
ANDERSSON-ENGELS, S. *see* WANG, I.
ANDREW, S. *see* GRIFFITHS, C.E.M.
ANHALT, G.J. Paraneoplastic pemphigus: the role of tumours and drugs, 1102
ANHALT, G.J. *see* INAOKI, M.
ANSTEY, A.V. *see* AZURDIA, R.M.
ANSTEY, A.V. *see* GOODWIN, R.G.
ANSTEY, A.V. *see* VARMA, S.
ANTONI, C. *see* OGILVIE, A.L.J.
ANTROBUS, P. *see* FARRELL, A.M.
AOYAGI, S. *see* KATO, N.
ARATA, S. *see* AIHARA, M.
ARNOLD, M. *see* GEILEN, C.C.
ARVEUX, P. *see* AUBIN, F.
ASHBEE, H.R. *see* SAADATZADEH, M.R.
ASHIDA, Y., OGO, M. & DENDA, M. Epidermal interleukin-1α generation is amplified at low humidity: implications for the pathogenesis of inflammatory dermatoses, 238
ASHTON, G.H.S., SORELLI, P., MELLERIO, J.E., KEANE, F.M., EADY, R.A.J. & MCGRATH, J.A. α6β4 integrin abnormalities in junctional epidermolysis bullosa with pyloric atresia, 408
AU, W-Y. *see* YEUNG, C.K.
AUBIN, F., PUZENAT, E., ARVEUX, P., LOUVAT, P., QUENCEZ, E. & HUMBERT, P. Genital squamous cell carcinoma in men treated by photochemotherapy. A cancer registry-based study from 1978 to 1998, 1204
AUTIER, P., BONIOL, M., SEVERI, G., DORÉ, J-F., N FOR RESEARCH, EUROPEAN ORGANISATIO, TREATMENT, OF CANCER MELANOMA & COOPERATIVE GROUP, OF

© 2001 British Association of Dermatologists

British Journal of Dermatology 2001; **144**: 1296–1314.

Index

Authors

ABE, R. *see* KODAMA, K.
ABERER, E. *see* BREIER, F.
ACHAR, A. *see* SHARMA, V.K.
AGARWAL, S. Nasolabial follicular sebaceous casts: a novel complication of isotretinoin therapy: reply from author, 919
AGARWAL, S. *see* AHMED, I.
AGARWAL, S. *see* TAKWALE, A.
AGUILAR-MARTINEZ, P. *see* DEREURE, O.
AHMED, I., AGARWAL, S., ILCHYSHYN, A., CHARLES-HOLMES, S. & BERTH-JONES, J. Liquid nitrogen cryotherapy of common warts: cyro-spray vs. cotton wool bud, 1006
AHN, S.K. *see* KIM, T-H.
AIBA, S. *see* HISHINUMA, T.
AIHARA, M., SUGITA, Y., TAKAHASHI, S., NAGATANI, T., ARATA, S., TAKEUCHI, K. & IKEZAWA, Z. Anticonvulsant hypersensitivity syndrome associated with reactivation of cytomegalovirus, 1231
AIOI, A., TONOGAITO, H., SUTO, H., HAMADA, K., RA, C., OGAWA, H., MAIBACH, H. & MATSUDA, H. Impairment of skin barrier function in NC/Nga Tnd mice as a possible model for atopic dermatitis, 12
AKDAS, A. *see* KÖSE, K.
AKIYAMA, M. & INAMOTO, N. Arteriovenous haemangioma in chronic liver disease: clinical and histopathological features of four cases, 604
AKIYAMA, M. *see* SUEKI, H.
AKIYAMA, M., TAKIZAWA, Y., KOKAJI, T. & SHIMIZU, H. Novel mutations of TGM1 in a child with congenital ichthyosiform erythroderma, 401
AKIYAMA, T. *see* ICHIKI, Y.
AKMAN, R.Y. *see* KAVAK, A.
ALAIBAC, M., BELLONI-FORTINA, A., MORI, M., PIGOZZI, B., PESERICO, A. & PIMPINELLI, N. Immunoglobulin heavy chain variable region family expression in primary cutaneous follicle centre cell lymphomas, 862
ALBARES, M.P. *see* CARNERO, L.
ALLAN, S.J.R. & TIDMAN, M.J. Dermatology dressings: an incendiary potential, 649
ALLEN, B.R. *see* EMERSON, R.M.
ALLEN, B.R. Thalidomide, 227
ALLEN, J. *see* GOOPTU, C.
ALLEN, J. *see* POWELL, J.
ALLEN, J., SHEARS, E., POWELL, J. & WOJNAROWSKA, F. Assessment of skin basement membrane zone antibodies in the urine of patients with acquired subepidermal immunobullous diseases, 540
ALMAGRO, M. *see* PEÑA PENABAD, C.
AL-MASAOUDI, T. *see* SACHS, B.
ALOMAR, A. *see* VIDAL, D.
ALPER, M. *see* KAVAK, A.
ALTMEYER, P. *see* AVERMAETE, A.
ALTMEYER, P. *see* GAMBICHLER, T.
ALTMEYER, P. *see* JANSEN, T.
ALTMEYER, P. *see* JANSEN, T.J.
ALTMEYER, P. *see* RING, J.
ALVARADO, M.I. *see* GONZALO, M.A.
ALVARENGA, F.B.F. *see* MORAES, M.O.
AMAGAI, M. *see* GOOPTU, C.
AMAGAI, M. *see* KOMAI, A.
AMAGAI, M. *see* OGATA, K.
AMAN, S., HAROON, T.S., HUSSAIN, I., JAHANGIR, M. & BOKHARI, M.A. Distal and lateral subungual onychomycosis with primary onycholysis caused by *Trichophyton violaceum*, 212
AMEMIYA, M. *see* SUEKI, H.
AMERIO, P., TOTO, P., FELICIANI, C., SUZUKI, H., SHIVJI, G., WANG, B. & SNAUDER, D.N. Rethinking the role of tumour necrosis factor-α; in ultraviolet (UV) B-induced immunosuppression: altered immune response in UV-irradiated TNFR1R2 gene-targeted mutant mice, 952
AMORIC, J.C. *see* DUPUY, P.
ANDERSEN, K.E. *see* MORTZ, C.G.
ANDERSSON-ENGELS, S. *see* WANG, I.
ANDREW, S. *see* GRIFFITHS, C.E.M.
ANHALT, G.J. Paraneoplastic pemphigus: the role of tumours and drugs, 1102
ANHALT, G.J. *see* INAOKI, M.
ANSTEY, A.V. *see* AZURDIA, R.M.
ANSTEY, A.V. *see* GOODWIN, R.G.
ANSTEY, A.V. *see* VARMA, S.
ANTONI, C. *see* OGILVIE, A.L.J.
ANTROBUS, P. *see* FARRELL, A.M.
AOYAGI, S. *see* KATO, N.
ARATA, S. *see* AIHARA, M.
ARNOLD, M. *see* GEILEN, C.C.
ARVEUX, P. *see* AUBIN, F.
ASHBEE, H.R. *see* SAADATZADEH, M.R.
ASHIDA, Y., OGO, M. & DENDA, M. Epidermal interleukin-1α generation is amplified at low humidity: implications for the pathogenesis of inflammatory dermatoses, 238
ASHTON, G.H.S., SORELLI, P., MELLERIO, J.E., KEANE, F.M., EADY, R.A.J. & MCGRATH, J.A. α6β4 integrin abnormalities in junctional epidermolysis bullosa with pyloric atresia, 408
AU, W-Y. *see* YEUNG, C.K.
AUBIN, F., PUZENAT, E., ARVEUX, P., LOUVAT, P., QUENCEZ, E. & HUMBERT, P. Genital squamous cell carcinoma in men treated by photochemotherapy. A cancer registry-based study from 1978 to 1998, 1204
AUTIER, P., BONIOL, M., SEVERI, G., DORÉ, J-F., N FOR RESEARCH, EUROPEAN ORGANISATIO, TREATMENT, OF CANCER MELANOMA & COOPERATIVE GROUP, OF

© 2001 British Association of Dermatologists

CANCER MELANOMA. Quantity of sunscreen used by European students, 288
AVERMAETE, A. *see* GAMBICHLER, T.
AVERMAETE, A., KREUTER, J.A., STÜCKER, M., VON KOBYLETZKI, G., ALTMEYER, P. & JANSEN, T. Keratosis lichenoides chronica: characteristics and response to acitretin, 422
AYMARD, M. *see* CHOSIDOW, O.
AZURDIA, R.M., ANSTEY, A.V. & RHODES, L.E. Cholesterol supplementation objectively reduces photosensitivity in the Smith–Lemli–Opitz syndrome, 143
BACHELET, M. *see* SOUIL, E.
BADER, A. *see* GAMBICHLER, T.
BAGOT, M. *see* POSZEPCZYNSKA, E.
BAIMA, B. & STICHERLING, M. Apoptosis in different cutaneous manifestations of lupus erythematosus, 958
BALL, S.G. *see* WATSON, R.E.B.
BALTÁS, E., NAGY, P., BÓNIS, B., NOVÁK, Z., IGNÁCZ, F., SZABÓ, G., BOR, Z., DOBOZY, A. & KEMÉNY, L. Repigmentation of localized vitiligo with the xenon chloride laser, 1266
BANFIELD, C.C., CALLARD, R.E. & HARPER, J.I. The role of cutaneous dendritic cells in the immunopathogenesis of atopic dermatitis, 940
BANG, K., LUND, M., WU, K., MOGENSEN, S.C. & THESTRUP-PEDERSEN, K. CD4+ CD8+ (thymocyte-like) T lymphocytes present in blood and skin from patients with atopic dermatitis suggest immune dysregulation, 1140
BARAJON, I., RUMIO, C., DONETTI, E., IMBERTI, A., BRIVIO, M. & CASTANO, P. Pattern of expression of c-Myc, Max and Bin1 in human anagen hair follicles, 1193
BARKLEY, A. *see* TAYLOR, P.
BARNARDAS, M. *see* VIDAL, D.
BARRETT, D.F. *see* PALMER, R.A.
BATARD, M-L., BONNEVALLE, A., SÉGARD, M., DANZÉ, P.M. & THOMAS, P. Caucasian actinic prurigo: 8 cases observed in France, 194
BAUER, J.W. *see* SCHAEPPI, H.
BAUER, R. *see* GERDSEN, R.
BAXTER, K.F. *see* SEATON, E.D.
BEARD, A.L. *see* FULLER, L.C.
BÉCHEREL, P.A. *see* POSZEPCZYNSKA, E.
BEIJERSBERGEN VAN HENEGOUWEN, G.M.J. *see* GERSCHER, S.
BELLONI-FORTINA, A. *see* ALAIBAC, M.
BENDSOE, N. *see* WANG, I.
BENEZ, A. & FIERLBECK, G. Successful long-term treatment of severe atopic dermatitis with mycophenolate mofetil, 638
BENNINGHOFF, B. *see* STOCKFLETH, E.
BENSUSSAN, A. *see* POSZEPCZYNSKA, E.
BERGBRANT, I-M. *see* FAERGEMANN, J.
BERNENGO, M.G., NOVELLI, M., QUAGLINO, P., LISA, F., DE MATTEIS, A., SAVOIA, P., CAPPELLO, N. & FIERRO, M.T. The relevance of the CD4+ CD26– subset in the identification of circulating Sézary cells, 125
BERTAZZONI, M. *see* DYNE, K.
BERTH-JONES, J. *see* AHMED, I.
BERTH-JONES, J. *see* LUGER, T.
BERTH-JONES, J. *see* TAKWALE, A.
BESSIS, D. *see* DEREURE, O.
BETTI, R. *see* MENNI, S.
BEWLEY, A. *see* PORTER, W.M.
BEYLOT, C. *see* COGREL, O.
BEYLOT-BARRY, M. *see* COGREL, O.
BEZOLD, G., LANGE, M., SCHIENER, R., PALMEDO, G., SANDER, C.A., KERSCHER, M. & PETER, R-U. Hidden scabies: diagnosis by polymerase chain reaction, 614
BHOGAL, B.S. *see* HARMAN, K.E.
BHUSHAN, M., CHALMERS, R.J.G. & COX, N.H. Acute oedema blisters: a report of 13 cases, 580
BIANCHI, L., CARROZZO, A.M., ORLANDI, A., CAMPIONE, E., HAGMAN, J.H. & CHIMENTI, S. Pyoderma vegetans and ulcerative colitis, 1224
BICKLE, K. *see* KATTA, R.
BIEBER, T. *see* GERDSEN, R.
BINDSLEV-JENSEN, C. *see* MORTZ, C.G.
BIRCH, M.P., MESSENGER, J.F. & MESSENGER, A.G. Hair density, hair diameter and the prevalence of female pattern hair loss, 297
BIRKLEIN, F. *see* BRAUNE, C.
BISSONNETTE, R. *see* SHARFAEI, S.
BJERKE, J. *see* LUGER, T.
BLACK, M.M. *see* HARMAN, K.E.
BLACK, M.M. *see* SETTERFIELD, J.F.
BLAHETA, H-J. *see* PAUL, T.
BLAHETA, H-J. *see* VOLLERT, B.
BLANC, F. *see* DEREURE, O.
BLUME-PEYTAVI, U. *see* HUSAK, R.
BOCCARDI, D. *see* MENNI, S.
BOKHARI, M.A. *see* AMAN, S.
BONIOL, M. *see* AUTIER, P.
BÓNIS, B. *see* BALTÁS, E.
BONNEVALLE, A. *see* BATARD, M-L.
BOORSMA, D.M. *see* STOOF, T.J.
BOORSMA, J. *see* WATSON, R.E.B.
BOR, Z. *see* BALTÁS, E.
BORECKÁ, D. *see* FILO, V.
BORGIA, F., VACCARÓ, M., GUARNERI, F., CANNAVÓ, S.P. & GUARNERI, B. Dermatomyositis associated with IgG myeloma, 200
BORRADORI, I. *see* LAFFITTE, E.
BORRADORI, L. *see* LAFFITTE, E.
BORRADORI, L. *see* SPAETH, S.
BORROSCH, F. *see* FUHRMANN, D.
BOS, J.D. *see* LUGER, T.
BOTELLA, R. *see* CARNERO, L.
BOTHWELL, J. *see* MEMON, A.A.
BOUFFARD, D. *see* SHARFAEI, S.
BOULOC, A. *see* POSZEPCZYNSKA, E.
BOUMSELL, L. *see* POSZEPCZYNSKA, E.
BRAATHEN, L.R. *see* YAWALKAR, N.
BRAMBLES, B. *see* VARMA, S.
BRAUNE, C., ERBGUTH, F. & BIRKLEIN, F. Dose thresholds

and duration of the local anhidrotic effect of botulinum toxin injections – measured by sudometry, 111
BREIER, F., KUNZ, G., ABERER, E., KHANAKAH, G., SCHMIDT, B., STANEK, G. & TAPPEINER, G. Isolation and polymerase chain reaction typing of *Borrelia afzelii* from a skin lesion in a seronegative patient with generalized ulcerating bullous lichen sclerosus et atrophicus, 387
BRENNER, S. *see* MEVORAH, B.
BRIVIO, M. *see* BARAJON, I.
BROWNBRIDGE, G.G., GOLD, J., EDWARD, M. & MACKIE, R.M. Evaluation of the use of tyrosinase-specific and melanA/MART-1-specific reverse transcriptase-coupled-polymerase chain reaction to detect melanoma cells in peripheral blood samples from 299 patients with malignant melanoma, 279
BRUCKNER-TUDERMAN, L. *see* NORDAL, E.J.
BUCHANAN, J.A.G. *see* ORTEU, C.H.
BÜDINGER, L. *see* SPAETH, S.
BULL, R.H. *see* ORTEU, C.H.
BUNKER, C.B. *see* FEARFIELD, L.A.
BUNKER, C.B. *see* PORTER, W.M.
BUNKER, C.B. *see* SIDWELL, R.U.
BURG, G. *see* HOFBAUER, G.F.L.
BURGE, S. *see* KHUMALO, N.P.
BURROWS, N.P. *see* WARAKAULLE, D.R.
BURTIN, P. *see* HARPER, J.
BUSAM, K.J., CAPODIECI, P., MOTZER, R., KIEHN, T., PHELAN, D. & HALPERN, A.C. Cutaneous side-effects in cancer patients treated with the antiepidermal growth factor receptor antibody C225, 1169
BÜYÜKBABANI, N. *see* KAVAK, A.
CALABRÒ, A. *see* CAPRONI, M.
CALISTA, D, SCHIANCHI, S. & MORRI, M. Urticaria induced by cetirizine, 196
CALLARD, R.E. *see* BANFIELD, C.C.
CALLEN, J.P. Is subacute lupus erythematosus a subset of systemic lupus erythematosus or a distinct entity?, 450
CALONJE, E. *see* CHILD, F.J.
CAMBAZARD, F. *see* FOUILLOUX, B.
CAMBAZARD, F. *see* MISERY, L.
CAMP, R.D.R. *see* GHURA, H.S.
CAMPIONE, E. *see* BIANCHI, L.
CANNAVÓ, S.P. *see* BORGIA, F.
CANO, J.P. *see* DUMAY, O.
CAPODIECI, P. *see* BUSAM, K.J.
CAPON, A. *see* SOUIL, E.
CAPPELLO, N. *see* BERNENGO, M.G.
CAPRONI, M., CARDINALI, C., RENZI, D., CALABRÒ, A. & FABBRI, P. Tissue transglutaminase antibody assessment in dematitis herpetiformis, 196
CARBONE, M. *see* CARROZZO, M.
CARDINALI, C. *see* CAPRONI, M.
CARDNO, M. *see* HARPER, J.
CARMICHAEL, A.J. *see* GOOPTU, C.
CARMICHAEL, A.J. *see* MURPHY, M.
CARNERO, L., SILVESTRE, J.F., GUIJARRO, J., ALBARES, M.P. & BOTELLA, R. Nuchal acne keloidalis associated with cyclosporin, 429
CARROZZO, A.M. *see* BIANCHI, L.
CARROZZO, M., FRANCIA DI CELLE, P., GANDOLFO, S., CARBONE, M., CONROTTO, D., FASANO, M.E., ROGGERO, S., RENDINE, S. & GHISETTI, V. Increased frequency of HLA-DR6 allele in Italian patients with hepatitis C virus-associated oral lichen planus, 803
CASTANO, P. *see* BARAJON, I.
CATOVSKY, D. *see* PORTER, W.M.
CATTARUZZA, M.S. *see* DE SIMONE, C.
CERIMELE, D. *see* DE SIMONE, C.
CERIO, R. *see* FULLER, L.C.
CETTA, G. *see* DYNE, K.
CHALLACOMBE, S.J. *see* HARMAN, K.E.
CHALLACOMBE, S.J. *see* SETTERFIELD, J.F.
CHALMERS, R.J.G. *see* BHUSHAN, M.
CHAN, H.H. *see* YEUNG, C.K.
CHAN, I.H.S. *see* CHAN, M.H.M.
CHAN, M.H.M., CHEUNG, R.C.K., CHAN, I.H.S. & LAM, C.W.K. An unusual case of mercury intoxication, 192
CHANG, S.N., CHUNG, Y.L., KIM, S-C., SIM, J.Y. & PARK, W.H. Trichoblastoma with sebaceous and sweat gland differentiation, 1090
CHAPEL, H.M. *see* FARRELL, A.M.
CHARLES-HOLMES, S. *see* AHMED, I.
CHARMAN, C. *see* VARMA, S.
CHAVE, T.A., CHOWDHURY, M.M.U. & HOLT, P.J.A. Recalcitrant necrobiotic xanthogranuloma responding to pulsed high-dose oral dexamethasone plus maintenance therapy with oral prednisolone, 158
CHAVE, T.A., FINLAY, A.Y., KNIGHT, A.G. & Y AUDIT COMMITTEE, ALL-WALES DERMATOLOG. Thalidomide usage in Wales: the need to follow guidelines, 310
CHEBASSIER, N. *see* LEROY, S.
CHEN, H. *see* JIMBOW, K.
CHEN, W-C. *see* HSIAO, C-J.
CHEN, Y-J., WU, C-Y. & SHEN, J-L. Predicting factors of malignancy in dermatomyositis and polymyositis: a case-control study, 825
CHEUNG, R.C.K. *see* CHAN, M.H.M.
CHILD, F.J. *see* SCARISBRICK, J.J.
CHILD, F.J., RUSSELL-JONES, R., WOOLFORD, A.J., CALONJE, E., PHOTIOU, A., ORCHARD, G. & WHITTAKER, S.J. Absence of the t(14;18) chromosomal translocation in primary cutaneous B-cell lymphoma, 735
CHIMENTI, S. *see* BIANCHI, L.
CHINN, S. *see* GIBBON, K.L.
CHNG, W.J. & HENDERSON, C.A. Suppurative panniculitis associated with alpha 1-antitrypsin deficiency (PiSZ phenotype) treated with doxycycline, 1282
CHO, S., HAHM, J-H. & HONG, Y-S. Analysis of *p53* and *BAX* mutations, loss of heterozygosity, p53 and BCL2 expression and apoptosis in basal cell carcinoma in Korean patients, 841
CHOI, E.H. *see* KIM, T-H.

CHOONHAKARN, C. Non-pigmenting fixed drug eruption: a new case due to eperisone hydrochloride, 1288
CHORZELSKI, T. *see* KOMAI, A.
CHOSIDOW, O. *see* DUPUY, P.
CHOSIDOW, O., DROUAULT, Y., LECONTE-VEYRIAC, F., AYMARD, M., ORTONNE, J.P., POUGET, F., REVUZ, J., DECAZES, J.M. & MALKIN, J.E. Famiciclovir vs. aciclovir in immunocompetent patients with recurrent genital herpes infections: a parallel-groups, randomized, double-blind clinical trial, 818
CHOWDHURY, M.M.U. & HOLT, P.J.A. Burning fingers, but where is the fire?, 1286
CHOWDHURY, M.M.U. *see* CHAVE, T.A.
CHOWDHURY, M.M.U., HARRIS, S. & LANIGAN, S.W. Potassium titanyl phosphate laser treatment of resistant port-wine stains, 814
CHOWDHURY, M.M.U., HEDGES, R. & LANIGAN, S.W. Intact nerve supply for eczema: reply from authors, 1270
CHREN, M.M. *see* SCHMIDT, S.
CHRIST, S. *see* GERDSEN, R.
CHRISTIANO, A.M. *see* CSERHALMI-FRIEDMAN, P.B.
CHRISTOPHERS, E. *see* HAUSCHILD, A.
CHRISTOPHERS, E. *see* LUGER, T.
CHRISTOPHERS, E. *see* RING, J.
CHRISTOPHERS, E. *see* STOCKFLETH, E.
CHUNG, Y.L. *see* CHANG, S.N.
CHUNG, Y.L., PARK, J-C., TAKATORI, K. & LEE, K.H. Primary cutaneous nocardiosis mimicking lupus erythematosus, 639
CLARK, S.M., THOMAS, G. & HOLT, P.J. Early use of percutaneous endoscopic gastrostomy feeding in toxic epidermal necrolysis, 1286
CLIFT, A. *see* SCARISBRICK, J.J.
COCKAYNE, S.E. & MESSENGER, A.G. Familial scarring alopecia associated with scalp psoriasis, 425
COGAN, E. *see* ROUFOSSE, F.
COGREL, O., BEYLOT-BARRY, M., VERGIER, B., DUBUS, P., DOUTRE, M.S., MERLIO, J.P. & BEYLOT, C. Sodium valproate-induced cutaneous pseudolymphoma followed by recurrence with carmabazepine, 1235
COLL, P. *see* VIDAL, D.
COLLIGNON, P. *see* ROSS, J.I.
COLLINS, P. *see* MARKHAM, T.
CONNELLY, J.P. *see* GERSCHER, S.
CONNORS, J.B., RAHIL, A.K., SMITH, F.J.D., MCLEAN, W.H. & MILSTONE, L.M. Delayed-onset pachyonychia congenita associated with a novel mutation in the central 2B domain of keratin 16, 1058
CONROTTO, D. *see* CARROZZO, M.
COONAR, A. *see* PATEL, H.
COOPER, S.M. & GEORGE, S. Photosensitivity reaction associated with use of the combined oral contraceptive, 641
COOPERATIVE GROUP, OF CANCER MELANOMA *see* AUTIER, P.
COSENTINO, F.I.I. *see* SIRAGUSA, M.
COSTELLO, C. *see* FEARFIELD, L.A.
COVE, J.H. *see* ROSS, J.I.
COX, N.H. *see* BHUSHAN, M.
COX, N.H. *see* MURPHY, M.
CRAVEN, N.M. *see* WATSON, R.E.B.
CRAVEN, N.M., JACKSON, C.W., KIRBY, B., PERREY, C., PRAVICA, V., HUTCHINSON, I.V. & GRIFFITHS, C.E.M. Cytokine gene polymorphisms in psoriasis, 849
CRIBIER, B., PELTRE, B., LANGBEIN, L., WINTER, H., SCHWEIZER, J. & GROSSHANS, E. Expression of type 1 hair keratins in follicular tumours, 977
CRICKX, B. *see* DESCAMPS, V.
CROSBY, A.H. *see* PATEL, H.
CSERHALMI-FRIEDMAN, P.B., MILSTONE, L.M. & CHRISTIANO, A.M. Diagnosis of autosomal recessive lamellar ichthyosis with mutations in the TGM1 gene, 726
CULLINAN, P. *see* HARRIS, J.M.
CUMBERBATCH, M. *see* GRIFFITHS, C.E.M.
CUNLIFFE, W.J. *see* LING, T.C.
CUNLIFFE, W.J. *see* ROSS, J.I.
CUNLIFFE, W.J. *see* SAADATZADEH, M.R.
CUNLIFFE, W.J. *see* SEATON, E.D.
DAHL, M.G.C. *see* LAWRENCE, C.M.
DANIELS, J. *see* STEPHENS, P.
DANZÉ, P.M. *see* BATARD, M-L.
DARVAY, A. *see* EVANS, A.V.
DAS, B. *see* ZEINA, B.
DAVIES, K.J. *see* STEPHENS, P.
DAVIES, M.G. & HICKLING, P. Familial adult dermatomyositis, 415
DAWBER, R.P.R. *see* MURRAY, S.C.
DAWBER, R.P.R. *see* POWELL, J.
DAYER, E. *see* OPPLIGER, R.
DE ALOE, G., RUBEGNI, P., PACENTI, L., MIRACCO, C. & FIMIANI, M. Human herpesvirus type 8 is not associated with pyogenic granulomas with satellite recurrence, 202
DE BERKER, D. Oral terbinafine treatment for toenail onychomycosis, 1098
DE BERKER, D. *see* NAYSMITH, L.
DE MATTEIS, A. *see* BERNENGO, M.G.
DE PAEPE, A. *see* JANSEN, T.
DE SILVA, B.D., PLANT, W. & KEMMETT, D. Subacute cutaneous lupus erythematosus and life-threatening hypokalaemic tetraparesis: a rare complication, 622
DE SIMONE, C., MASINI, C., CATTARUZZA, M.S., GUERRIERO, C., CERIMELE, D. & NORVAL, M. Urocanic acid isomers in patients with non-melanoma skin cancer, 858
DE VIRAGH, P. *see* MEVORAH, B.
DEAN, D. *see* GOOPTU, C.
DEAN, D. *see* POWELL, J.
DEARMAN, R.J. *see* GRIFFITHS, C.E.M.
DEBUSSCHER, C. & SIMONART, T. Differential expression of Fas in tumour-stage mycosis fungoides (MF) and MF-like cutaneous T-cell pseudolymphoma, 903
DECAZES, J.M. *see* CHOSIDOW, O.
DECHANT, C. *see* OGILVIE, A.L.J.
DEGITZ, K. *see* MESSER, G.
DEL POZO, J. *see* PEÑA PENABAD, C.

DELAPORTE, E. *see* LAUNAY, D.
DELGADO, Y. *see* MENÉNDEZ, V.
DELIR, S. *see* HANDJANI, F.
DENDA, M. *see* ASHIDA, Y.
DEREURE, O., AGUILAR-MARTINEZ, P., BESSIS, D., PERNEY, P., VALLAT, C., GUILLOT, B., BLANC, F. & GUILHOU, J-J. HFE mutations and transferrin receptor polymorphism analysis in porphyria cutanea tarda: a prospective study of 36 cases from southern France, 533
DESCAMPS, V., DUVAL, X., GROSSIN, M., CRICKX, B. & LEPORT, C. Topical cidofovir for bowenoid papulosis in an HIV-infected patient, 642
DEVESA, P. *see* MENÉNDEZ, V.
DEVULDER, B. *see* LAUNAY, D.
DICKINSON, A.J. *see* LAWRENCE, C.M.
DIFFEY, B.L. Sun protection with clothing, 449
DINH-XUAN, A.T. *see* SOUIL, E.
DINNEEN, M. *see* PORTER, W.M.
DOBOZY, A. *see* BALTÁS, E.
DOHSÉ, M. *see* FAERGEMANN, J.
DONETTI, E. *see* BARAJON, I.
DORÉ, J-F. *see* AUTIER, P.
DOROBEK, B. *see* HARPER, J.
DOUTRE, M.S. *see* COGREL, O.
DRAGANIC STINCO, D *see* PARODI, P.C.
DRAGO, F. & REBORA, A. Pityriasis rosea: one virus, two viruses, more viruses?, 1090
DRÉNO, B. *see* LEROY, S.
DRÉNO, B. *see* ROSS, J.I.
DROUAULT, Y. *see* CHOSIDOW, O.
DU P. MENAGÉ, H. *see* PORTER, W.M.
DU VIVIER, A.W.P. *see* KEANE, F.M.
DUBOIS, S. *see* LEROY, S.
DUBUS, P. *see* COGREL, O.
DUMAY, O., KARAM, A., VIAN, L., MOYAL, D., HOURSEAU, C., STOEBNER, P., PEYRON, J.L., MEYNADIER, J., CANO, J.P. & MEUNIER, L. Ultraviolet AI exposure of human skin results in Langerhans cell depletion and reduction of epidermal antigen-presenting cell function: partial protection by a broadspectrum sunscreen, 1161
DUMMER, R. *see* HOFBAUER, G.F.L.
DUPUY, P., MAURETTE, C., AMORIC, J.C., CHOSIDOW, O. & INVESTIGATOR GROUP, THE STUDY. Randomized, placebo-controlled, double-blind study on clinical efficacy of ciclopiroxolamine 1% cream in facial seborrhoeic dermatitis, 1033
DURAKOVIC, C., MALABANAN, A. & HOLICK, M.F. Rationale for use and clinical responsiveness of hexafluoro-1,25-dihydroxyvitamin D_3 for the treatment of plaque psoriasis: a pilot study, 500
DUTEIL, L. *see* QUEILLE-ROUSSEL, C.
DUTOIT, M. *see* FOUILLOUX, B.
DUTT, S. *see* RAYCHAUDHURI, S.P.
DUVAL, X. *see* DESCAMPS, V.
DYKES, P.J. *see* LEWIS-JONES, M.S.
DYNE, K., ZANABONI, G., BERTAZZONI, M., CETTA, G., VIGLIO, S., LUPI, A. & IADAROLA, P. Mild, late-onset prolidase deficiency: another Italian case, 635
DZIKUS, A. *see* SCHMELLER, W.
EADY, E.A. *see* ROSS, J.I.
EADY, R.A.J. *see* ASHTON, G.H.S.
EAST, C.L. *see* WATSON, R.E.B.
EBATA, T., IWASAKI, S., KAMIDE, R. & NIIMURA, M. Use of a wrist activity monitor for the measurement of nocturnal scratching in patients with atopic dermatitis, 305
ECHCHAKIR, H. *see* POSZEPCZYNSKA, E.
EDWARD, M. Melanoma cell-derived factors stimulate glycosaminoglycan synthesis by fibroblasts cultured as monolayers and within contracted collagen lattices, 465
EDWARD, M. *see* BROWNBRIDGE, G.G.
EEDY, D.J. & WOOTTON, R. Teledermatology: a review, 696
EFRON, D. *see* EVEN-PAZ, Z.
EICHLER, W. *see* EISENBEISS, C.
EISENBEISS, C., WELZEL, J., EICHLER, W. & KLOTZ, K. Influence of body water distribution on skin thickness: measurements using high-frequency ultrasound, 947
ELDER, G.H. *see* PALMER, R.A.
ELLWANGER, U. *see* FUHRMANN, D.
ELSNER, P. *see* SCHMIDT, S.
EMERSON, R.M., WILLIAMS, H.C. & ALLEN, B.R. What is the cost of atopic dermatitis in preschool children?, 514
EMTESTAM, L. *see* LIANG, Y.
ENEJDER, A.M.K. *see* WANG, I.
ENGMAN, C. *see* MOLIN, L.
ERBGUTH, F. *see* BRAUNE, C.
ERDMANN, S. *see* SACHS, B.
EVANS, A.V., DARVAY, A., JENKINS, I.H. & RUSSELL-JONES, R. Compartment syndrome following an insect bite, 636
EVANS, J. *see* HOLME, S.A.
EVEN-PAZ, Z. & EFRON, D. Skin cancer and climatotherapy in psoriasis, 202
FABBRI, P. *see* CAPRONI, M.
FABRIZI, G. & MASSI, G. Mononuclear variant of juvenile xanthogranuloma in the oral cavity of an adult patient, 909
FAERGEMANN, J., BERGBRANT, I-M., DOHSÉ, M., SCOTT, A. & WESTGATE, G. Seborrhoeic dermatitis and *Pityrosporum (Malassezia)* folliculitis: characterization of inflammatory cells and mediators in the skin by immunohistochemistry, 549
FALLOWFIELD, M. *see* PORTER, W.M.
FARBER, E.M. *see* RAYCHAUDHURI, S.P.
FARRELL, A.M., ANTROBUS, P., SIMPSON, D., POWELL, S., CHAPEL, H.M. & FERRY, B.L. A rapid flow cytometric assay to detect CD4+ and CD8+ T-helper (Th) 0, Th1 and Th2 cells in whole blood and its application to study cytokine levels in atopic dermatitis before and after cyclosporin therapy, 24
FASANO, M.E. *see* CARROZZO, M.
FAVRE, B. *see* LAFFITTE, E.
FEARFIELD, L.A., FRANCIS, N., HENRY, K., COSTELLO, C. & BUNKER, C.B. Bone marrow involvement in cutaneous mastocytosis, 561

FELICIANI, C. *see* AMERIO, P.
FENN, T. *see* PATEL, H.
FERNÁNDEZ, L. *see* GONZALO, M.A.
FERRI, R. *see* SIRAGUSA, M.
FERRY, B.L. *see* FARRELL, A.M.
FERSHT, N & SPITTLE, M.F. Some aspects of radiotherapy for melanoma, 1
FIERLBECK, G. *see* BENEZ, A.
FIERRO, M.T. *see* BERNENGO, M.G.
FILO, V., GALBAVY, S., FILOVÁ, A., BORECKÁ, D. & NOVOTNÁ, V. Unilateral progressive pigmented capillaropathy (Schamberg's disease?) of the arm, 190
FILOVÁ, A. *see* FILO, V.
FIMIANI, M. *see* DE ALOE, G.
FINLAY, A.Y. *see* CHAVE, T.A.
FINLAY, A.Y. *see* GOODWIN, R.G.
FINLAY, A.Y. *see* LEWIS-JONES, M.S.
FINLAY, A.Y. *see* TOUW, C.R.
FISCHER, M. *see* WOHLRAB, J.
FISCHER, M., WOHLRAB, J., TAUBE, K-M. & MARSCH, W.C. Intralesional injection of enoxaparin in benign symmetrical lipomatosis: an alernative to surgery?, 629
FISCHER, T.W. *see* SCHMIDT, S.
FLIER, J. *see* STOOF, T.J.
FLUHR, J. *see* ROSS, J.I.
FONSECA, E. *see* PEÑA PENABAD, C.
FONTAO, L. *see* LAFFITTE, E.
FOR THE FEBIM STUDY GROUP, O. *see* PFAHLBERG, A.
FOUILLOUX, B., PERRIN, C., DUTOIT, M. & CAMBAZARD, F. Clear cell syringofibroadenoma (of Mascaro) of the nail, 625
FRANCIA DI CELLE, P. *see* CARROZZO, M.
FRANCIS, N. *see* FEARFIELD, L.A.
FRANCIS, N. *see* PORTER, W.M.
FRANCIS, N. *see* SIDWELL, R.U.
FREUND, M. *see* KUNZ, M.
FRIEDMANN, P.S. *see* MEMON, A.A.
FRIEDMANN, P.S. *see* PALMER, R.A.
FRITH, P. *see* GOOPTU, C.
FRITSCH, P. *see* WEBER, F.
FUCHS, P.G. *see* WEBER, F.
FUHR, U. *see* TANTCHEVA-POÓR, I.
FUHRMANN, D., LIPPOLD, A., BORROSCH, F., ELLWANGER, U., GARBE, C. & SUTER, L. Should adjuvant radiotherapy be recommended following resection of regional lymph node metastases of malignant melanomas?, 66
FUJII, H. *see* TANIOKA, M.
FUJII, T. *see* YAMAMOTO, T.
FUJIMOTO, A. *see* INAOKI, M.
FUJIMURI, T. *see* TSUKAHARA, K.
FUJIOKA, Y. *see* YASUKAWA, K.
FUJIWARA, H. *see* ISHII, M.
FUKUSHIGE, T. *see* KAWABATA, H.
FUKUSHIGE, T. *see* KODAMA, K.
FULLER, L.C., SMITH, C.H., CERIO, R., MARSDEN, R.A., MIDGLEY, G., BEARD, A.L., HIGGINS, E.M. & HAY, R.J. A randomized comparison of 4 weeks of terbinafine vs. 8 weeks of griseofulvin for the treatment of tinea capitis, 321
FURUTA, J. *see* ICHIKAWA, E.
GABER, Y., SIEMENS, H-J. & SCHMELLER, W. Resistance to activated protein C due to factor V Leiden mutation: high prevalence in patients with post-thrombotic leg ulcers, 546
GALÁN, J.A. *see* MENÉNDEZ, V.
GALBAVY, S. *see* FILO, V.
GAMBICHLER, T., AVERMAETE, A., BADER, A., ALTMEYER, P. & HOFFMANN, K. Ultraviolet protection by summer textiles. Ultraviolet transmission measurements verified by determination of the minimal erythema dose with solar-simulated radiation, 484
GANDOLFO, S. *see* CARROZZO, M.
GARBE, C. *see* FUHRMANN, D.
GARBE, C. *see* PAUL, T.
GARCÍA-SILVA, J. *see* PEÑA PENABAD, C.
GAT, A. *see* MEVORAH, B.
GAY-CROSIER, F. *see* OPPLIGER, R.
GEDDE-DAHL JR., T. *see* NORDAL, E.J.
GEFELLER, O. *see* PFAHLBERG, A.
GEILEN, C.C. *see* HUSAK, R.
GEILEN, C.C., ARNOLD, M. & ORFANOS, C.E. Mycophenolate mofetil as a systemic antipsoriatic agent: positive experience in 11 patients, 583
GEORGE, S. *see* COOPER, S.M.
GERDSEN, R., HARTL, C., CHRIST, S., UERLICH, M., BAUER, R. & BIEBER, T. Hailey-Hailey disease: exacerbation by scabies, 211
GERSCHER, S., CONNELLY, J.P., BEIJERSBERGEN VAN HENEGOUWEN, G.M.J., MACROBERT, A.J., WATT, P. & RHODES, L.E. A quantitative assessment of protoporphyrin IX metabolism and phototoxicity in human skin following dose-controlled delivery of the prodrugs 5-aminolaevulinic acid and 5-aminolaevulinic acid-*n*-pentylester, 983
GERSTENHAUER, M. *see* SCHIFFNER, R.
GHISETTI, V. *see* CARROZZO, M.
GHURA, H.S. & CAMP, R.D.R. Scarring molluscum contagiosum in patients with severe atopic dermatitis: report of two cases, 1094
GIBBON, K.L., MCFADDEN, J.P., RYCROFT, R.J.G., ROSS, J.S., CHINN, S. & WHITE, I.R. Changing frequency of thiuram allergy in healthcare workers with hand dermatitis, 347
GILMOUR, E. & STEWART, D.G. Severe recalcitrant pyoderma gangrenosum responding to a combination of mycophenolate mofetil with cyclosporin and complicated by a mononeuritis, 397
GODARD, A. *see* LEROY, S.
GOERDT, S. *see* HUSAK, R.
GOLD, J. *see* BROWNBRIDGE, G.G.
GOLDSMITH, P. *see* TAYLOR, P.
GONZÁLEZ, G. *see* GONZALO, M.A.
GONZALO, M.A., ALVARADO, M.I., FERNÁNDEZ, L., ROSENDO, R. & GONZÁLEZ, G. Fixed drug eruption due to naproxen: lack of cross-reactivity with other propionic acid derivatives, 1291

GOODFIELD, M. *see* POLLOCK, B.
GOODWIN, R.G., FINLAY, A.Y. & ANSTEY, A.V. Vitiligo following narrow-band TL-01 phototherapy for psoriasis, 1264
GOOPTU, C., LITTLEWOOD, T.J., FRITH, P., LYON, C.C., CARMICHAEL, A.J., OLIWIECKI, S., MACWHANNELL, A., AMAGAI, M., HASHIMOTO, T., DEAN, D., ALLEN, J. & WOJNAROWSKA, F. Paraneoplastic pemphigus: an association with fludarabine?, 1255
GOTO, M., SONODA, T., SHIBUYA, H., TERASHI, H., KAI, Y., SATO, T., TAKAYASU, S. & YOKOHAMA, S. Digital syringomatous carcinoma mimicking basal cell carcinoma, 438
GOULDEN, V. *see* POLLOCK, B.
GRAEBER, M. *see* LUGER, T.
GRATIAN, M.J. *see* HARMAN, K.E.
GRATTAN, C., POWELL, S. & HUMPHREYS, F. Management and diagnostic guidelines for urticaria and angio-oedema, 708
GREEN, A. *see* HARPER, J.
GREENMAN, J. *see* ZEINA, B.
GREINER, D. *see* PODDA, M.
GRIFFITHS, C.E.M. Ascomycin: an advance in the management of atopic dermatitis, 679
GRIFFITHS, C.E.M. *see* CRAVEN, N.M.
GRIFFITHS, C.E.M. *see* LITTLE, M.C.
GRIFFITHS, C.E.M. *see* WATSON, R.E.B.
GRIFFITHS, C.E.M., CUMBERBATCH, M., TUCKER, S.C., DEARMAN, R.J., ANDREW, S., HEADON, D.R. & KIMBER, I. Exogenous topical lactoferrin inhibits allergen-induced Langerhans cell migration and cutaneous inflammation in humans, 714
GROSS, G. *see* KUNZ, M.
GROSSHANS, E. *see* CRIBIER, B.
GROSSIN, M. *see* DESCAMPS, V.
GRUENDEL, E. *see* HARPER, J.
GRUNDMANN-KOLLMANN, M., OCHSENDORF, F., ZOLLNER, T.M., TEGEDER, I., KAUFMANN, R. & PODDA, M. Cream psoralen plus ultraviolet A therapy for granuloma annulare, 996
GRUNDMANN-KOLLMANN, M., TEGEDER, I., OCHSENDORF, F.R., ZOLLNER, T.M., LUDWIG, R., KAUFMANN, R. & PODDA, M. Kinetics and dose-response of photosensitivity in cream psoralen plus ultraviolet A photochemotherapy: comparative *in vivo* studies after topical application of three standard preparations, 991
GUALANDRI, L. *see* MENNI, S.
GUARNERI, B. *see* BORGIA, F.
GUARNERI, F. *see* BORGIA, F.
GUERRIERO, C. *see* DE SIMONE, C.
GUIJARRO, J. *see* CARNERO, L.
GUILHOU, J-J. *see* DEREURE, O.
GUILLOT, B. *see* DEREURE, O.
GUPTA, A.K. *see* GUPTA, M.A.
GUPTA, M.A. & GUPTA, A.K. Isotretinoin use and reports of sustained dreaming, 919
HA, S-J *see* ROH, K-Y.
HACHULLA, E. *see* LAUNAY, D.
HAGMAN, J.H. *see* BIANCHI, L.
HAHM, J-H. *see* CHO, S.
HAKKAART VAN-ROIJEN, L. *see* TOUW, C.R.
HALPERN, A.C. *see* BUSAM, K.J.
HAMADA, K. *see* AIOI, A.
HAMADA, M. *see* ISHII, M.
HAMETNER, R. *see* SCHAEPPI, H.
HANDA, S., SETHURAMAN, G., MOHAN, A. & SHARMA, V.K. Ehlers-Danlos syndrome with bladder diverticula, 1084
HANDFIELD-JONES, S. *see* STERLING, J.C.
HANDFIELD-JONES, S.E. *see* WOODROW, S.L.
HANDJANI, F., DELIR, S., SODAIFI, M. & KUMAR, P.V. Lupus vulgaris following bacille Calmette-Guérin vaccination, 444
HARDMAN, C. *see* MORRIS-JONES, R.
HARMAN, K.E., SEED, P.T., GRATIAN, M.J., BHOGAL, B.S., CHALLACOMBE, S.J. & BLACK, M.M. The severity of cutaneous and oral pemphigus is related to desmoglein 1 and 3 antibody levels, 775
HAROON, T.S. *see* AMAN, S.
HARPER, J.I., GREEN, A., SCOTT, G., GRUENDEL, E., DOROBEK, B., CARDNO, M. & BURTIN, P. First experience of topical SDZ ASM 981 in children with atopic dermatitis, 781
HARPER, J.I. *see* BANFIELD, C.C.
HARPER, J.I. *see* SIDWELL, R.U.
HARRINGTON, C.I. *see* STRAUSS, R.M.
HARRIS, D. *see* TAYLOR, P.
HARRIS, J.M., CULLINAN, P., WILLIAMS, H.C., MILLS, P., MOFFAT, S., WHITE, C. & NEWMAN TAYLOR, A.J. Environmental associations with eczema in early life, 795
HARRIS, S. *see* CHOWDHURY, M.M.U.
HARTL, C. *see* GERDSEN, R.
HARTMANN, K. & HENZ, B.M. Mastocytosis: recent advances in defining the disease, 682
HASHIMOTO, T. *see* GOOPTU, C.
HASHIMOTO, T. *see* KOMAI, A.
HASHIMOTO, T. *see* OGATA, K.
HATRON, P-Y. *see* LAUNAY, D.
HAUSCHILD, A., MÖLLER, M., LISCHNER, S. & CHRISTOPHERS, E. Repeatable acute rhabdomyolysis with multiple organ dysfunction because of interferon : and dacarbazine treatment in metastatic melanoma, 215
HAUSER, C. Granulomatous disease associated with HLA class I deficiency, 906
HAUSER, C. *see* OPPLIGER, R.
HAUSSER, I. *see* NORDAL, E.J.
HAWK, J.L.M. *see* MILLARD, T.P.
HAY, R.J. *see* FULLER, L.C.
HAZINI, A. *see* RONGIOLETTI, F.
HEADON, D.R. *see* GRIFFITHS, C.E.M.
HEAGERTY, A.H. *see* IRVINE, A.D.
HEDGECOCK, S. *see* LUGER, T.
HEDGES, R. *see* CHOWDHURY, M.M.U.
HEGEMANN, B., HELMBOLD, P. & MARSCH, W.CH. Genital inflammatory lymphoedema: peculiar microvascular long-distance metastasis of gastric carcinoma, 419

HEICKENDORFF, L. *see* ZACHARIAE, H.
HELMBOLD, P. *see* HEGEMANN, B.
HENDERSON, C.A. *see* CHNG, W.J.
HENRY, K. *see* FEARFIELD, L.A.
HENZ, B.M. *see* HARTMANN, K.
HERMIER, C. *see* MISERY, L.
HERTL, M. *see* SPAETH, S.
HEWITT, J.B. *see* SHIPLEY, D.R.V.
HICKLING, P. *see* DAVIES, M.G.
HIGASHI, S. *see* TANIOKA, M.
HIGGINS, E.M. *see* FULLER, L.C.
HINTNER, H. *see* SCHAEPPI, H.
HINTNER, H. *see* WEBER, F.
HIRABAYASHI, Y. *see* KODAMA, K.
HISHINUMA, T., SUZUKI, N., AIBA, S., TAGAMI, H. & MIZUGAKI, M. Increased urinary leukotriene E_4 excretion in patients with atopic dermatitis, 19
HOARE, S. *see* IRVINE, A.D.
HOEPFL, R. *see* WEBER, F.
HOFBAUER, G.F.L., KAMARACHEV, J., KEMPF, W., BURG, G., PESTALOZZI, B.C. & DUMMER, R. A CD4+ CD56+ natural killer-like T-cell systemic lymphoma with haemorrhagic cutaneous manifestations, 432
HOFFMANN, K. *see* GAMBICHLER, T.
HOFSTÄDTER, F. *see* SCHIFFNER, R.
HOLICK, M.F. *see* DURAKOVIC, C.
HOLME, S.A., EVANS, J., ROBERTS, C. & ROBERTS, D.L. Everybody's free (to wear sunscreen): the power of pop, 918
HOLMES, S.C. *see* TAKWALE, A.
HOLT, P.J. *see* CLARK, S.M.
HOLT, P.J.A. *see* CHAVE, T.A.
HOLT, P.J.A. *see* CHOWDHURY, M.M.U.
HONG, Y-S. *see* CHO, S.
HORIGUCHI, Y. *see* OHTOSHI, E.
HOSHI, N. *see* WATANABE, K.
HOULSTON, R. *see* PATEL, H.
HOURSEAU, C. *see* DUMAY, O.
HSIAO, C-J., HSU, M.M-L., LEE, J.Y-Y., CHEN, W-C. & HSIEH, W.C. Paraneoplastic pemphigus in association with a retroperitoneal Castleman's disease presenting with a lichen planus pemphigoides-like eruption. A case report and review of literature, 372
HSIAO, C-J., LEE, J.Y-Y., WONG, T-W. & SHEU, H-M. Extensive fixed drug eruption due to lamotrigine, 1289
HSIEH, W.C. *see* HSIAO, C-J.
HSU, M.M-L. *see* HSIAO, C-J.
HUDSON, P.M. *see* STERLING, J.C.
HUGHES, A.E. *see* IRVINE, A.D.
HUGHES, G.R.V. *see* MILLARD, T.P.
HUMBERT, P. *see* AUBIN, F.
HUMPHREYS, F. *see* GRATTAN, C.
HUSAK, R., BLUME-PEYTAVI, U., PFROMMER, C., GEILEN, C.C., GOERDT, S. & ORFANOS, C.E. Nodular and bullous cutaneous mastocytosis of the xanthelasmoid type: case report, 355
HUSON, S. *see* KHUMALO, N.P.
HUSON, S.M. *see* KHUMALO, N.P.
HUSSAIN, I. *see* AMAN, S.
HUTCHINSON, I.V. *see* CRAVEN, N.M.
HUTCHINSON, P.E. *see* OSBORNE, J.E.
HUTCHISON, I. *see* ORTEU, C.H.
HWANG, L. *see* KATTA, R.
IADAROLA, P. *see* DYNE, K.
ICHIHASHI, N. & KITAJIMA, Y. Chemotherapy induces or increases expression of multidrug resistance-associated protein in malignant melanoma cells, 745
ICHIKAWA, E., FURUTA, J., KAWACHI, Y., IMAKADO, S. & OTSUKA, F. Hereditary complement (C9) deficiency associated with dermatomyositis, 1080
ICHIKI, Y., AKIYAMA, T., SHIMOZAWA, N., SUSUKI, Y., KONDO, N. & KITAJIMA, Y. An extremely severe case of cutaneous calcinosis with juvenile dermatomyositis, and successful treatment with diltiazem, 894
IGNÁCZ, F. *see* BALTÁS, E.
IIJIMA, M. *see* SUEKI, H.
IKEDA, M. *see* OGATA, K.
IKENAGA, M. *see* OHTOSHI, E.
IKEZAWA, Z. *see* AIHARA, M.
IKOMA, A. *see* TANIOKA, M.
ILCHYSHYN, A. *see* AHMED, I.
ILCHYSHYN, A. *see* PURNELL, D.
IMAKADO, S. *see* ICHIKAWA, E.
IMAYAMA, S. *see* TSUKAHARA, K.
IMBERTI, A. *see* BARAJON, I.
IMOKAWA, G. *see* TSUKAHARA, K.
INAMOTO, N. *see* AKIYAMA, M.
INAOKI, M., KODERA, M., FUJIMOTO, A., NOUSARI, H.C., ANHALT, G.J. & TAKEHARA, K. Paraneoplastic pemphigus without antidesmoglein 3 or antidesmoglein 1 autoantibodies, 610
INGHAM, E. *see* SAADATZADEH, M.R.
INUZUKA, M., TOMITA, K., TOKURA, Y. & TAKIGAWA, M. Acquired ichthyosis associated with dermatomyositis in a patient with hepatocellular carcinoma, 416
INVESTIGATOR GROUP, THE STUDY *see* DUPUY, P.
IORIZZO, M. *see* PIRACCINI, B.M.
IRVINE, A.D., RUGG, E.L., LANE, E.B., HOARE, S., PERET, C., HUGHES, A.E. & HEAGERTY, A.H. Molecular confirmation of the unique phenotype of epidermolysis bullosa simplex with mottled pigmentation, 40
ISHIBASHI, A. *see* ITOH, Y.
ISHII, K. *see* KOMAI, A.
ISHII, M., IZUMI, J., FUJIWARA, H., ITO, M. & HAMADA, M. Immunoblotting detection of γ-catenin (plakoglobin) antibody in serum of a patient with paraneoplastic pemphigus, 377
ISHIKAWA, O. *see* TAKAHASHI, A.
ISLAM, J. *see* LING, T.C.
ITAMI, S. *see* NAKAJIMA, T.
ITO, A., SAKAMOTO, F. & ITO, M. Dystrophic scrotal calcinosis originating from benign eccrine epithelial cysts, 146
ITO, M. *see* ISHII, M.
ITO, M. *see* ITO, A.

ITO, M. *see* KASAHARA, N.
ITOH, Y., NINOMIYA, Y., TAJIMA, S. & ISHIBASHI, A. Photodynamic therapy of acne vulgaris with topical <δ-aminolaevulinic acid and incoherent light in Japanese patients, 575
IWASAKI, S. *see* EBATA, T.
IZUMI, J. *see* ISHII, M.
IZUMI, T. *see* SEISHIMA, M.
JACKSON, C.W. *see* CRAVEN, N.M.
JACQUES, Y. *see* LEROY, S.
JAHANGIR, M. *see* AMAN, S.
JAHN, K. *see* WOHLRAB, J.
JANSEN, T. *see* AVERMAETE, A.
JANSEN, T., DE PAEPE, A., NUYTINCK, L. & ALTMEYER, P. Acrogeric phenotype in Ehlers-Danlos syndrome type IV attributed to a missense mutation in the COL3A1 gene, 1086
JANSEN, T.J., KASTNER, U. & ALTMEYER, P. Rosacea-like demodicidosis associated with acquired immunodeficiency syndrome, 139
JASPERS, N.G.J. *see* VAN STEENSEL, M.A.M.
JAUNIN, F. *see* LAFFITTE, E.
JEMEC, G.B.E. *see* VON DER WERTH, J.M.
JENKINS, D. *see* PURNELL, D.
JENKINS, I.H. *see* EVANS, A.V.
JIANG, W-Y. *see* RAYCHAUDHURI, S.P.
JIMBOW, K., CHEN, H., PARK, J-S. & THOMAS, P.D. Increased sensitivity of melanocytes to oxidative stress and abnormal expression of tyrosinase-related protein in vitiligo, 55
JIN, G. *see* TANIOKA, M.
JOHANSSON, O. *see* LIANG, Y.
JONKMAN, M.F. *see* STOUTHAMER, A.
JONKMAN, M.F. *see* VAN DER WAAL, R.I.F.
JOSS, D.V. *see* KHUMALO, N.P.
JUENGER, M. *see* VOLLERT, B.
KAGOURA, M. *see* TOYODA, M.
KAI, Y. *see* GOTO, M.
KALDEN, J.R. *see* OGILVIE, A.L.J.
KAMARACHEV, J. *see* HOFBAUER, G.F.L.
KAMIDE, R. *see* EBATA, T.
KANBE, T., SOMA, Y., KAWA, Y., KASHIWA, M. & MIZOGUCHI, M. Serum levels of soluble stem cell factor and soluble KIT are elevated in patients with atopic dermatitis and correlate with the disease severity, 1148
KANDRA, A. *see* LUGER, T.
KANG, Y.C. *see* KIM, T-H.
KANITAKIS, J. *see* MISERY, L.
KANZAKI, T. *see* KAWABATA, H.
KANZAKI, T. *see* KODAMA, K.
KAPUR, N., LANDON, G. & YU, R.C. Localized argyria in an antique restorer, 191
KARAM, A. *see* DUMAY, O.
KASAHARA, N., KAZAMA, T., SAKAMOTO, F. & ITO, M. Acquired multiple blue naevi scattered over the whole body, 440
KASHIWA, M. *see* KANBE, T.
KASKEL, P., PETER, R.U. & KERSCHER, M. Phototesting and phototherapy in pityriasis rubra pilaris, 430
KASTNER, U. *see* JANSEN, T.J.
KATAYAMA, I. *see* YAMAMOTO, T.
KATO, N., SUGAWARA, H., AOYAGI, S. & MAYUZUMI, M. Lymphoma-type adult T-cell leukaemia-lymphoma with a bulky cutaneous tumour showing multiple human T-lymphotropic virus-1 DNA integration, 1244
KATTA, R., BICKLE, K. & HWANG, L. Pyogenic granuloma arising in port-wine stain during pregnancy, 644
KAUFMANN, R. *see* GRUNDMANN-KOLLMANN, M.
KAUFMANN, R. *see* OCHSENDORF, F.R.
KAUFMANN, R. *see* PODDA, M.
KAVAK, A., AKMAN, R.Y., ALPER, M. & BÜYÜKBABANI, N. Penile Kaposi's sarcoma in a human immunodeficiency virus-seronegative patient, 207
KAWA, Y. *see* KANBE, T.
KAWABATA, H., SETOYAMA, M., FUKUSHIGE, T. & KANZAKI, T. Spontaneous regression of cutaneous lesions in adult T-cell leukaemia/lymphoma, 434
KAWACHI, Y. *see* ICHIKAWA, E.
KAWAKAMI, T., SOMA, Y., MIZOGUCHI, M. & SAITO, R. Immunohistochemical analysis of transforming growth factor-β3 expression in acquired reactive perforating collagenosis, 197
KAWASHIMA, M. *see* MITSUISHI, T.
KAZAMA, T. *see* KASAHARA, N.
KEANE, F.M. *see* ASHTON, G.H.S.
KEANE, F.M., MUNN, S.E., TAYLOR, N.F. & DU VIVIER, A.W.P. Unregulated use of clobetasol propionate, 1095
KELESTIMUR, F. *see* KÖSE, K.
KEMÉNY, L. *see* BALTÁS, E.
KEMMETT, D. *see* DE SILVA, B.D.
KEMPF, W. *see* HOFBAUER, G.F.L.
KEOHANE, S.G. *see* PALMER, R.A.
KERSCHER, M. *see* BEZOLD, G.
KERSCHER, M. *see* KASKEL, P.
KHAMASHTA, M.A. *see* MILLARD, T.P.
KHANAKAH, G. *see* BREIER, F.
KHAW, P.T. *see* STEPHENS, P.
KHOO, S.W. *see* WONG, S-N.
KHUMALO, N. *see* MURRAY, S.C.
KHUMALO, N.P., HUSON, S. & BURGE, S. Development of lentigines within naevoid hypopigmentation, 188
KHUMALO, N.P., JOSS, D.V., HUSON, S.M. & BURGE, S. Pigmentary anomalies in ataxia-telangiectasia: a clue to diagnosis and an example of twin spotting, 369
KIEHN, T. *see* BUSAM, K.J.
KIELTY, C.M. *see* WATSON, R.E.B.
KIM, D. *see* ROH, K-Y.
KIM, J-W. *see* ROH, K-Y.
KIM, S-C. *see* CHANG, S.N.
KIM, T-H., CHOI, E.H., KANG, Y.C., LEE, S.H. & AHN, S.K. The effects of topical α-hydroxyacids on the normal skin barrier of hairless mice, 267
KIM, Y-C. & VANDERSTEEN, D.P. Primary cutaneous

pleomorphic small/medium sized T-cell lymphoma in a young man, 903
KIMBER, I. *see* GRIFFITHS, C.E.M.
KIRBY, B. *see* CRAVEN, N.M.
KIRTSCHIG, G. *see* POWELL, J.
KITAJIMA, Y. *see* ICHIHASHI, N.
KITAJIMA, Y. *see* ICHIKI, Y.
KLEIN, S.D. *see* LADNER, D.P.
KLIGMAN, A.M. *see* SUEKI, H.
KLINTEBERG, C.A.F. *see* WANG, I.
KLOTZ, K. *see* EISENBEISS, C.
KNIGHT, A.G. *see* CHAVE, T.A.
KNOP, J. *see* LUGER, T.
KNULST, A.C. *see* LUGER, T.
KOBAYASHI, H. *see* KODAMA, K.
KOBAYASHI, H. *see* YASUKAWA, K.
KODAMA, H. *see* OGATA, K.
KODAMA, K., KOBAYASHI, H., ABE, R., OHKAWARA, A., YOSHI, N., YOTSUMOTO, S., FUKUSHIGE, T., NAGATSUKA, Y., HIRABAYASHI, Y. & KANZAKI, T. A new case of α-*N*-acetylgalactosaminidase deficiency with angiokeratoma coporis diffusum, with Ménière's syndrome and without mental retardation, 363
KODERA, M. *see* INAOKI, M.
KOKAJI, T. *see* AKIYAMA, M.
KOKAKIS, J.D. *see* KOUVARIS, J.R.
KÖLMEL, K-F. *see* PFAHLBERG, A.
KOMAI, A., AMAGAI, M., ISHII, K., NISHIKAWA, T., CHORZELSKI, T., MATSUO, I. & HASHIMOTO, T. The clinical transition between pemphigus foliaceus and pemphigus vulgaris correlates well with the changes in autoantibody profile assessed by an enzyme-linked immunosorbent assay, 1177
KON, C. *see* STEPHENS, P.
KONDO, N. *see* ICHIKI, Y.
KONDO, S. *see* TAKEDA, H.
KÖSE, K., UTAS, S., YAZICI, C., AKDAS, A. & KELESTIMUR, F. Effect of propylthiouracil on adenosine deaminase activity and thyroid function in patients with psoriasis, 1121
KOULOULIAS, V.E. *see* KOUVARIS, J.R.
KOUVARIS, J.R., KOULOULIAS, V.E., PLATANIOTIS, G.A., KOKAKIS, J.D. & VLAHOS, L.J. Topical granulocyte-macrophage colony-stimulating factor for radiation dermatitis of the vulva, 646
KOWALZICK, L. *see* RING, J.
KRAHN, G.M. *see* KUNZI-RAPP, K.
KREUTER, J.A. *see* AVERMAETE, A.
KRÖBER, S.M. *see* PAUL, T.
KUMAR, P.V. *see* HANDJANI, F.
KUNZ, G. *see* BREIER, F.
KUNZ, M., WILHELM, S., FREUND, M., ZIMMERMANN, R. & GROSS, G. Treatment of severe erythrodermic acute graft-vs.-host disease with photochemotherapy, 901
KUNZI-RAPP, K., KRAHN, G.M., WORTMANN, S. & PETER, R-U. Early treatment of traumatic tattoo by erbium-Yag laser, 219
KURWA, H.A. *see* VARMA, S.
KUSAKABE, T. *see* WATANABE, K.
LACOUR, J-P. *see* PASSERON, T.
LADNER, D.P., KLEIN, S.D., STEINER, R.A. & WALT, H. Synergistic toxicity of δ-aminolaevulinic acid-induced protoporphyrin IX used ofr photodiagnosis and hypericum extract, a herbal antidepressant, 916
LAFFITTE, E., FAVRE, B., FONTAO, L., RIOU, S., JAUNIN, F., TAMM, K., SAURAT, J-H. & BORRADORI, L. Plectin, an unusual target antigen in bullous pemphigoid, 136
LAFFITTE, E., SKARIA, M., JAUNIN, F., TAMM, K., SAURAT, J-H., FAVRE, B. & BORRADORI, L. Autoantibodies to the extracellular and intracellular domain of bullous pemphigoid 180, the putative key autoantigen in bullous pemphigoid, belong predominantly to the IgG1 and IgG4 subclasses, 760
LAM, C.W.K. *see* CHAN, M.H.M.
LANDAU, M. *see* LOTEM, M.
LANDAU, M. *see* MEVORAH, B.
LANDON, G. *see* KAPUR, N.
LANDTHALER, M. *see* SCHIFFNER, R.
LANE, E.B. *see* IRVINE, A.D.
LANGBEIN, L. *see* CRIBIER, B.
LANGE, M. *see* BEZOLD, G.
LANIGAN, S.W. *see* CHOWDHURY, M.M.U.
LANTIERI, L. *see* MORENO, J-C.
LAUNAY, D., HATRON, P-Y., DELAPORTE, E., HACHULLA, E., DEVULDER, B. & PIETTE, F. Scleromyxedema (lichen myxedematosus) associated with dermatomyositis, 359
LAURITSEN, J.M. *see* MORTZ, C.G.
LAWLER, P.G. *see* MURPHY, M.
LAWRENCE, C.M., DAHL, M.G.C., DICKINSON, A.J. & TURNER, R.J. Mohs' micrographic surgery for cutaneous squamous cell carcinoma: practical considerations, 186
LECONTE-VEYRIAC, F. *see* CHOSIDOW, O.
LEE, H-J. *see* ROH, K-Y.
LEE, J.Y-Y. *see* HSIAO, C-J.
LEE, J-B. *see* LEE, S-C.
LEE, K.H. *see* CHUNG, Y.L.
LEE, S.H. *see* KIM, T-H.
LEE, S-C., YUN, S.J., LEE, J-B., LEE, S-S. & WON, Y.H. A case of porphyria cutanea tarda in association with idiopathic myelofibrosis and CREST syndrome, 182
LEE, S-S. *see* LEE, S-C.
LEFEBVRE, M-C. *see* QUEILLE-ROUSSEL, C.
LEIGH, I.M. *see* ORTEU, C.H.
LEONARD, J. *see* MORRIS-JONES, R.
LEPORT, C. *see* DESCAMPS, V.
LEROY, S., DUBOIS, S., TENAUD, I, CHEBASSIER, N., GODARD, A., JACQUES, Y. & DRÉNO, B. Interleukin-15 expression in cutaneous T-cell lymphoma (mycosis fungoides and Sézary syndrome), 1016
LEWIS, C.M. *see* MILLARD, T.P.
LEWIS-JONES, M.S., FINLAY, A.Y. & DYKES, P.J. The Infants' Dermatitis Quality of Life Index, 104
LEYDEN, J.J. *see* ROSS, J.I.
LIANG, Y., EMTESTAM, L. & JOHANSSON, O. Endothelial

cells express an α-melanocyte-stimulating hormone-like immunoreactivity in prurigo nodularis, 1278
LIN, M.T.S., WANG, F., UITTO, J. & YOON, K. Differential expression of tissue-specific promoters by gene gun, 34
LING, T.C., PARKIN, G., ISLAM, J., SEUKERAN, D.C. & CUNLIFFE, W.J. What is the cumulative effect of long-term, low-dose isotretinoin on the development of DISH?, 630
LIPPOLD, A. *see* FUHRMANN, D.
LISA, F. *see* BERNENGO, M.G.
LISCHNER, S. *see* HAUSCHILD, A.
LITTLE, M.C., WATSON, R.E.B., PEMBERTON, M.N., GRIFFITHS, C.E.M. & THORNHILL, M.H. Activation of oral keratinocytes by mercuric chloride: relevance to dental amalgam-induced oral lichenoid reactions, 1024
LITTLEWOOD, T.J. *see* GOOPTU, C.
LÓPEZ HERNÁNDEZ, B. *see* TERCEDOR, J.
LOTEM, M., RABEN, M., ZELTSER, R., LANDAU, M., SELA, M., WYGODA, M. & TOCHNER, Z.A. Kindler syndrome complicated by squamous cell carcinoma of the hard palate: successful treatment with high-dose radiation therapy and granulocyte-macrophage colony-stimulating factor, 1284
LOUVAT, P. *see* AUBIN, F.
LUDWIG, R. *see* GRUNDMANN-KOLLMANN, M.
LÜFTL, M. *see* OGILVIE, A.L.J.
LUGER, T., VAN LEENT, E.J.M., GRAEBER, M., HEDGECOCK, S., THURSTON, M., KANDRA, A., BERTH-JONES, J., BJERKE, J., CHRISTOPHERS, E., KNOP, J., KNULST, A.C., MORREN, M., MORRIS, A., REITAMO, S., ROED-PETERSEN, J., SCHOEPF, E., THESTRUP-PEDERSEN, K., VAN DER VALK, P.G.M. & BOS, J.D. SDZ ASM 981: and emerging safe and effective treatment for atopic dermatitis, 788
LUGER, T.A. *see* STEINHOFF, M.
LUI, H. *see* SHARFAEI, S.
LUND, M. *see* BANG, K.
LUNDQVIST, K. & SCHMIDTCHEN, A. Immunohistochemical studies on proteoglycan expression in normal skin and chronic ulcers, 254
LUPI, A. *see* DYNE, K.
LYON, C.C. *see* GOOPTU, C.
MacDONALD HULL, S.P. *see* POLLOCK, B.
MacKIE, R.M. *see* BROWNBRIDGE, G.G.
MacROBERT, A.J. *see* GERSCHER, S.
MacWHANNELL, A. *see* GOOPTU, C.
MAHENDRAN, R. & NEWTON-BISHOP, J.A. Survey of U.K. current practice in the treatment of lentigo maligna, 71
MAIBACH, H. *see* AIOI, A.
MAKINO, T. *see* TOYODA, M.
MALABANAN, A. *see* DURAKOVIC, C.
MALAKAR, S. & PANDA, S. Post-inflammatory depigmentation following allergic contact dermatitis to chloroxylenol, 1275
MALKIN, J.E. *see* CHOSIDOW, O.
MANGER, B. *see* OGILVIE, A.L.J.
MANUEL RÓDENAS, J. *see* TERCEDOR, J.
MARKHAM, T., SHEAHAN, K. & COLLINS, P. Topical 5-aminolaevulinic acid photodynamic therapy for tumour-stage mycosis fungoides, 1262
MARKS, R. Prevalence of solar damage and actinic keratosis in a Merseyside population, 437
MARRERO, M.D. *see* TORRELO, A.
MARSCH, W.C. *see* FISCHER, M.
MARSCH, W.C. *see* WOHLRAB, J.
MARSCH, W.CH. *see* HEGEMANN, B.
MARSDEN, R.A. *see* FULLER, L.C.
MARTÍNEZ, M.A. *see* TORRELO, A.
MARTÍNEZ, W. *see* PEÑA PENABAD, C.
MARTINVALET, D. *see* POSZEPCZYNSKA, E.
MASI, M. *see* RICCI, G.
MASINI, C. *see* DE SIMONE, C.
MASSI, G. *see* FABRIZI, G.
MATHORET, C. *see* MORENO, J-C.
MATSUDA, H. *see* AIOI, A.
MATSUKURA, T. *see* MITSUISHI, T.
MATSUMURA, T. *see* YASUKAWA, K.
MATSUMURA, Y. *see* OHTOSHI, E.
MATSUO, I. *see* KOMAI, A.
MAURETTE, C. *see* DUPUY, P.
MAYUZUMI, M. *see* KATO, N.
McCOUBRIE, P. *see* PANDHA, H.S.
McFADDEN, J.P. *see* GIBBON, K.L.
McGRATH, J.A. *see* ASHTON, G.H.S.
McGREGOR, J.M. *see* MILLARD, T.P.
McGREGOR, J.M. *see* SWALE, V.J.
McKENNA, D.B., NEILL, W.A. & NORVAL, M. Herpes simplex virus-specific immune responses in subjects with frequent and infrequent orofacial recrudescences, 459
McLEAN, W.H. *see* CONNORS, J.B.
MECKLENBECK, S. *see* NORDAL, E.J.
MEDIERO, I.G. *see* TORRELO, A.
MELLERIO, J.E. *see* ASHTON, G.H.S.
MEMON, A.A., TOMENSON, J.A., BOTHWELL, J. & FRIEDMANN, P.S. Prevalence of solar damage and actinic keratosis in a Merseyside population: reply from authors, 437
MENÉNDEZ, V., GALÁN, J.A., DELGADO, Y., DEVESA, P., TERUEL, A. & PÉREZ, M. Giant inguinal and suprapubic mastocytomas in an adult with a history of childhood mastocytosis, 208
MENNI, S., BETTI, R., BOCCARDI, D. & GUALANDRI, L. Both unilateral naevus achromicus and congenital agminated Spitz naevi in a checkerboard mosaic pattern, 187
MERK, H.F. *see* SACHS, B.
MERLIO, J.P. *see* COGREL, O.
MESSENGER, A.G. *see* BIRCH, M.P.
MESSENGER, A.G. *see* COCKAYNE, S.E.
MESSENGER, J.F. *see* BIRCH, M.P.
MESSER, G., DEGITZ, K., PLEWIG, G. & RÖCKEN, M. Pretreatment of psoriasis with the vitamin D_3 derivative tacalcitol increases the responsiveness to 311-nm ultraviolet B: results of a controlled, right/left study, 628
METZE, D. *see* SCHAEPPI, H.
METZE, D. *see* STEINHOFF, M.

MEUNIER, L. *see* DUMAY, O.
MEVORAH, B., LANDAU, M., GAT, A., DE VIRAGH, P. & BRENNER, S. Adolescent-onset ichthyosiform-like erythroderma with lichenoid tissue reaction: a new entity?, 1063
MEYER, T. *see* STOCKFLETH, E.
MEYNADIER, J. *see* DUMAY, O.
MIDGLEY, G. *see* FULLER, L.C.
MILANI, M. *see* SCAPARRO, E.
MILBRADT, R. *see* PODDA, M.
MILLARD, T.P., LEWIS, C.M., KHAMASHTA, M.A., HUGHES, G.R.V., HAWK, J.L.M. & MCGREGOR, J.M. Familial clustering of polymorphic light eruption in relatives of patients with lupus erythematosus: evidence of a shared pathogenesis, 334
MILLS, P. *see* HARRIS, J.M.
MILSTONE, L.M. *see* CONNORS, J.B.
MILSTONE, L.M. *see* CSERHALMI-FRIEDMAN, P.B.
MIRACCO, C. *see* DE ALOE, G.
MISCIALI, C. *see* PIRACCINI, B.M.
MISERY, L., KANITAKIS, J., HERMIER, C. & CAMBAZARD, F. Generalized eruptive histiocytoma in an infant with healing in summer: long-term follow-up, 435
MITSUISHI, T., KAWASHIMA, M., MATSUKURA, T. & SATA, T. Human papillomavirus type 58 in Bowen's disease of the elbow, 384
MIYACHI, Y. *see* OHTOSHI, E.
MIYACHI, Y. *see* TANIOKA, M.
MIZOGUCHI, M. *see* KANBE, T.
MIZOGUCHI, M. *see* KAWAKAMI, T.
MIZUGAKI, M. *see* HISHINUMA, T.
MIZUKAWA, Y. & SHIOHARA, T. The cytokine profile in a transient variant of angioedema with eosinophilia, 169
MIZUNO, K. *see* YAMAMOTO, T.
MOEHRLE, E. *see* VOLLERT, B.
MOFFAT, S. *see* HARRIS, J.M.
MOGENSEN, S.C. *see* BANG, K.
MOHAN, A. *see* HANDA, S.
MOLIN, L., TARSTEDT, M. & ENGMAN, C. Oral terbinafine treatment for toenail onychomycosis: reply from authors, 1098
MÖLLER, H. Intact nerve supply for eczema, 1270
MÖLLER, M. *see* HAUSCHILD, A.
MORAES, M.O., SAMPAIO, E.P., NERY, J.A.C., SARAIVA, B.C.C., ALVARENGA, F.B.F. & SARNO, E.N. Sequential erythema nodosum leprosum and reversal reaction with similar lesional cytokine mRNA patterns in a borderline leprosy patient, 175
MORDON, S. *see* SOUIL, E.
MORENO, J-C., MATHORET, C., LANTIERI, L., ZELLER, J., REVUZ, J. & WOLKENSTEIN, P. Carbon dioxide laser for removal of multiple cutaneous neurofibromas, 1096
MORI, M. *see* ALAIBAC, M.
MORITA, K. *see* TANIOKA, M.
MORIWAKI, S. *see* TSUKAHARA, K.
MOROHASHI, M. *see* TOYODA, M.
MORREN, M. *see* LUGER, T.
MORRI, M. *see* CALISTA, D
MORRIS, A. *see* LUGER, T.
MORRIS-JONES, R., STAUGHTON, R.C.D., WALKER, M., SHERIDAN, D.J., RAJAPPAN, K., LEONARD, J. & HARDMAN, C. Lichen myxoedematosus with associated cardiac abnormalities, 594
MORTIMER, P. *see* PANDHA, H.S.
MORTZ, C.G., LAURITSEN, J.M., BINDSLEV-JENSEN, C. & ANDERSEN, K.E. Prevalence of atropic dermatitis, asthma, allergic rhinitis, and hand and contact dermatitis in adolescents. The Odense Adolescence Cohort Study on Atopic Disease and Dermatitis, 523
MOTTA, A. *see* RODRÍGUEZ, G.
MOTZER, R. *see* BUSAM, K.J.
MOYAL, D. *see* DUMAY, O.
MUNN, S.E. *see* KEANE, F.M.
MUNRO, C.S. Pachyonychia congenita: mutations and clinical presentations, 929
MUNRO, C.S. *see* NAYSMITH, L.
MURAKAMI, T., OHTSUKI, M. & NAKAGAWA, H. Angioimmunoblastic lymphadenopathy-type peripheral T-cell lymphoma with cutaneous infiltration: report of a case and its gene expression profile, 878
MURPHY, M., CARMICHAEL, A.J., LAWLER, P.G., WHITE, M. & COX, N.H. The incidence of hydroxyethyl starch-associated pruritus, 973
MURR, D. *see* PASSERON, T.
MURRAY, K. *see* TAYLOR, P.
MURRAY, S.C., DAWBER, R.P.R. & KHUMALO, N. Congenital malalignment of the left index fingernail, 911
N FOR RESEARCH, EUROPEAN ORGANISATIO *see* AUTIER, P.
NAGATANI, T. *see* AIHARA, M.
NAGATSUKA, Y. *see* KODAMA, K.
NAGY, P. *see* BALTÁS, E.
NAKAGAWA, H. *see* MURAKAMI, T.
NAKAJIMA, H. *see* OGATA, K.
NAKAJIMA, T., SANO, S., ITAMI, S. & YOSHIKAWA, K. Cutaneous inflammatory pseudotumour (plasma cell granuloma), 1271
NARDELLI, M. *see* PATEL, H.
NAYSMITH, L., DE BERKER, D. & MUNRO, C.S. Multigeminate beard hairs and folliculitis, 427
NEILL, W.A. *see* MCKENNA, D.B.
NERY, J.A.C. *see* MORAES, M.O.
NEUBERT, R. *see* WOHLRAB, J.
NEWMAN TAYLOR, A.J. *see* HARRIS, J.M.
NEWTON-BISHOP, J.A. *see* MAHENDRAN, R.
NIEBOER, C. *see* STOOF, T.J.
NIEBOER, C. *see* STOUTHAMER, A.
NIEBOER, C. *see* VAN DER WAAL, R.I.F.
NIIMURA, M. *see* EBATA, T.
NINOMIYA, Y. *see* ITOH, Y.
NISHIGORI, C. *see* OHTOSHI, E.
NISHIGORI, C. *see* TANIOKA, M.
NISHIKAWA, T. *see* KOMAI, A.
NISHIKAWA, T. *see* YAMAMOTO, T.
NISHIOKA, K. *see* YAMAMOTO, T.

NORDAL, E.J., MECKLENBECK, S., HAUSSER, I., SKRANES, J., BRUCKNER-TUDERMAN, L. & GEDDE-DAHL JR., T. Generalized dystrophic epidermolysis bullosa: identification of a novel, homozygous glycine substitution, G2031S, in exon 73 of *COL7A1* in monozygous triplets, 151
NORVAL, M. *see* DE SIMONE, C.
NORVAL, M. *see* MCKENNA, D.B.
NOUSARI, H.C. *see* INAOKI, M.
NOVÁK, Z. *see* BALTÁS, E.
NOVELLI, M. *see* BERNENGO, M.G.
NOVOTNÁ, V. *see* FILO, V.
NUYTINCK, L. *see* JANSEN, T.
O'BRIEN, M.E.R. *see* PANDHA, H.S.
OCCLESTON, N. *see* STEPHENS, P.
OCHSENDORF, F. *see* GRUNDMANN-KOLLMANN, M.
OCHSENDORF, F.R., KAUFMANN, R. & RUNNE, U. Erbium: YAG laser ablation of acquired vulval lymphangioma, 442
OGATA, K., NAKAJIMA, H., IKEDA, M., YAMAMOTO, Y., AMAGAI, M., HASHIMOTO, T. & KODAMA, H. Drug-induced pemphigus foliaceus with features of pemphigus vulgaris, 421
OGAWA, H. *see* AIOI, A.
OGILVIE, A.L.J., ANTONI, C., DECHANT, C., MANGER, B., KALDEN, J.R., SCHULER, G. & LÜFTL, M. Treatment of psoriatic arthritis with antitumour necrosis factor-<α antibody clears skin lesions of psoriasis resistant to treatment with methotrexate, 587
OGO, M. *see* ASHIDA, Y.
OHKAWARA, A. *see* KODAMA, K.
OHTOSHI, E., MATSUMURA, Y., NISHIGORI, C., TODA, K-I., HORIGUCHI, Y., IKENAGA, M. & MIYACHI, Y. Useful applications of DNA repair tests for differential diagnosis of atypical dyschromatosis symmetrica hereditaria from xeroderma pigmentosum, 162
OHTSUKI, M. *see* MURAKAMI, T.
OLIWIECKI, S. *see* GOOPTU, C.
OPPLIGER, R., GAY-CROSIER, F., DAYER, E. & HAUSER, C. Digital necrosis in a patient with hypereosinophilic syndrome in the absence of cutaneous eosinophillic vasculitis, 1087
ORCHARD, G. *see* CHILD, F.J.
ORDÓÑÉZ, N. *see* RODRÍGUEZ, G.
ORFANOS, C.E. *see* GEILEN, C.C.
ORFANOS, C.E. *see* HUSAK, R.
ORIFICI, C. *see* SCAPARRO, E.
ORLANDI, A. *see* BIANCHI, L.
ORTEU, C.H., BUCHANAN, J.A.G., HUTCHISON, I., LEIGH, I.M. & BULL, R.H. Systemic lupus erythematosus presenting with oral mucosal lesions: easily missed?, 1219
ORTIZ-URDA, S. *see* SCHAEPPI, H.
ORTONNE, J.P. *see* CHOSIDOW, O.
ORTONNE, J.P. *see* PASSERON, T.
ORTONNE, J-P. *see* QUEILLE-ROUSSEL, C.
OSBORNE, J.E. & HUTCHINSON, P.E. Clinical correlates of Breslow thickness of malignant melanoma, 476
OSHIMA, S. *see* ROSS, J.I.
OTSUKA, F. *see* ICHIKAWA, E.
OYAMA, Z. *see* SEISHIMA, M.
PACENTI, L. *see* DE ALOE, G.
PALMEDO, G. *see* BEZOLD, G.
PALMER, R.A. & FRIEDMANN, P.S. Effect of house dust mite avoidance measures in children with atopic dermatitis, 912
PALMER, R.A., ELDER, G.H., BARRETT, D.F. & KEOHANE, S.G. Homozygous variegate porphyria: a compound heterozygote with novel mutations in the protoporphyrinogen oxidase gene, 866
PANDA, S. *see* MALAKAR, S.
PANDHA, H.S., MORTIMER, P., SOUBERBEILLE, B., MCCOUBRIE, P. & O'BRIEN, M.E.R. Cutaneous toxicity after intradermal vaccination with *Mycobacterium vaccae* against lung cancer and malignant mesothelioma, 648
PARK, J-C. *see* CHUNG, Y.L.
PARK, J-S. *see* JIMBOW, K.
PARK, W.H. *see* CHANG, S.N.
PARKIN, G. *see* LING, T.C.
PARODI, P.C., RIBERTI, C., DRAGANIC STINCO, D. PATRONE, P. & STINCO, G. Squamous cell carcinoma arising in a patient with long standing pansclerotic morphea, 417
PAS, H.H. *see* VAN DER WAAL, R.I.F.
PASSERON, T., LACOUR, J-P., MURR, D. & ORTONNE, J.P. Thalidomide-induced amenorrhoea: two cases, 1292
PATEL, H., NARDELLI, M., FENN, T., HOULSTON, R., COONAR, A., PATTON, M.A. & CROSBY, A.H. Homozygosity at chromosome 8qter in individuals affected by mal de Meleda (Meleda disease) originating from the island of Meleda, 730
PATRIZI, A. *see* RICCI, G.
PATRONE, P. *see* PARODI, P.C.
PATTON, M.A. *see* PATEL, H.
PAUL, A. *see* PAUL, T.
PAUL, C. *see* QUEILLE-ROUSSEL, C.
PAUL, C. *see* TOUW, C.R.
PAUL, T., RADNY, P., KRÖBER, S.M., PAUL, A., BLAHETA, H-J. & GARBE, C. Intralesional rituximab for cutaneous B-cell lymphoma, 1239
PEARSE, A.D. *see* VARMA, S.
PELTRE, B. *see* CRIBIER, B.
PEMBERTON, M.N. *see* LITTLE, M.C.
PEÑA PENABAD, C., ALMAGRO, M., MARTÍNEZ, W., GARCÍA-SILVA, J., DEL POZO, J., YEBRA, M.T., SÁNCHEZ-MANZANO, C. & FONSECA, E. Dorfman-Chanarin syndrome (neutral lipid storage disease): new clinical features, 430
PERET, C. *see* IRVINE, A.D.
PÉREZ, M. *see* MENÉNDEZ, V.
PÉREZ, M. *see* VIDAL, D.
PERNEY, P. *see* DEREURE, O.
PERREY, C. *see* CRAVEN, N.M.
PERRIN, C. *see* FOUILLOUX, B.
PESERICO, A. *see* ALAIBAC, M.
PESTALOZZI, B.C. *see* HOFBAUER, G.F.L.
PETER, R-U. *see* BEZOLD, G.
PETER, R.U. *see* KASKEL, P.
PETER, R-U. *see* KUNZI-RAPP, K.

PEYRON, J.L. *see* DUMAY, O.
PFAHLBERG, A., KÖLMEL, K-F., GEFELLER, O. & FOR THE FEBIM STUDY GROUP, O. Timing of excessive ultraviolet radiation and melanoma: epidemiology does not support the existance of a critical period of high susceptibility to solar ultraviolet radiation- induced melanoma, 471
PFISTER, H.J. *see* WEBER, F.
PFROMMER, C. *see* HUSAK, R.
PHELAN, D. *see* BUSAM, K.J.
PHILIP, G. *see* PORTER, W.M.
PHOTIOU, A. *see* CHILD, F.J.
PICHLER, W.J. *see* YAWALKAR, N.
PIETTE, F. *see* LAUNAY, D.
PIGOZZI, B. *see* ALAIBAC, M.
PIMPINELLI, N. *see* ALAIBAC, M.
PIRACCINI, B.M., TOSTI, A., IORIZZO, M. & MISCIALI, C. Pustular psoriasis of the nails: treatment and long-term follow-up of 46 patients, 1000
PLAETZER, M. *see* WOHLRAB, J.
PLANT, W. *see* DE SILVA, B.D.
PLATANIOTIS, G.A. *see* KOUVARIS, J.R.
PLEASS, R.D. *see* STEPHENS, P.
PLEWIG, G. Nasolabial follicular sebaceous casts: a novel complication of isotretinoin therapy, 919
PLEWIG, G. *see* MESSER, G.
PODDA, M. *see* GRUNDMANN-KOLLMANN, M.
PODDA, M., RONGIOLETTI, F., GREINER, D., MILBRADT, R., REBORA, A., KAUFMANN, R. & WOLTER, M. Cutaneous mucinosis of infancy: is it a real entity or the paediatric form of lichen myxoedematosus (papular mucinosis)?, 590
POLLA, B.S. *see* SOUIL, E.
POLLOCK, B., GOULDEN, V., SHEEHAN-DARE, R. & GOODFIELD, M. Dermatology and the world wide web, 914
POLLOCK, B., WILKINSON, S.M. & MACDONALD HULL, S.P. Chronic urticaria associated with intra-articular methylprednisolone, 1228
POPE, F.M. *see* WOODROW, S.L.
PORTER, W.M., BEWLEY, A., DINNEEN, M., WALKER, C.C., FALLOWFIELD, M., FRANCIS, N. & BUNKER, C.B. Nodular lichen simplex of the scrotum treated by surgical excision, 915
PORTER, W.M., DU P. MENAGÉ, H., PHILIP, G. & BUNKER, C.B. Porokeratosis of the penis, 643
PORTER, W.M., SIDWELL, R.U., CATOVSKY, D. & BUNKER, C.B. Cutaneous presentation of chronic lymphatic leukaemia and response to ultraviolet B phototherapy, 1092
POSZEPCZYNSKA, E., MARTINVALET, D., BOULOC, A., ECHCHAKIR, H., WECHSLER, J., BÉCHEREL, P.A., BOUMSELL, L., BENSUSSAN, A. & BAGOT, M. Erythrodermic cutaneous T-cell lymphoma with disseminated pustulosis. Production of high levels of interleukin-8 by tumour cells, 1073
POUGET, F. *see* CHOSIDOW, O.
POWELL, J. & DAWBER, R.P.R. Successful treatment regime for folliculitis decalvans despite uncertainty of all aetiological factors, 428
POWELL, J. *see* ALLEN, J.
POWELL, J., KIRTSCHIG, G., ALLEN, J., DEAN, D. & WOJNAROWSKA, F. Mixed immunobullous disease of childhood: a good response to antimicrobials, 769
POWELL, S. *see* FARRELL, A.M.
POWELL, S. *see* GRATTAN, C.
PRAVICA, V. *see* CRAVEN, N.M.
PURCELL, W.M. *see* ZEINA, B.
PURNELL, D., ILCHYSHYN, A., JENKINS, D., SALIM, A., SETH, R. & SNEAD, D. Isolated human papillomavirus 18-positive extragenital bowenoid papulosis and idiopathic CD4+ lymphocytopenia, 619
PUZENAT, E. *see* AUBIN, F.
QUADRI, G. *see* SCAPARRO, E.
QUAGLINO, P. *see* BERNENGO, M.G.
QUEILLE-ROUSSEL, C., PAUL, C., DUTEIL, L., LEFEBVRE, M-C., RAPATZ, G., ZAGULA, M. & ORTONNE, J-P. The new topical ascomycin derivative SDZ ASM 981 does not induce skin atrophy when applied to normal skin for 4 weeks: a randomized double-blind controlled study, 507
QUENCEZ, E. *see* AUBIN, F.
RA, C. *see* AIOI, A.
RABEN, M. *see* LOTEM, M.
RADNY, P. *see* PAUL, T.
RAHIL, A.K. *see* CONNORS, J.B.
RAJAPPAN, K. *see* MORRIS-JONES, R.
RAMAM, M. *see* SHARMA, V.K.
RANTANEN, T. *see* SNELLMAN, E.
RAPATZ, G. *see* QUEILLE-ROUSSEL, C.
RAPPERSBERGER, K. *see* SCHAEPPI, H.
RASSNER, G *see* VOLLERT, B.
RAYCHAUDHURI, S.K. *see* RAYCHAUDHURI, S.P.
RAYCHAUDHURI, S.P., JIANG, W-Y. & FARBER, E.M. Cellular localization of fractalkine at sites of inflammation: antigen-presenting cells in psoriasis express high levels of fractalkine, 1105
RAYCHAUDHURI, S.P., SANYAL, M., RAYCHAUDHURI, S.K., DUTT, S. & FARBER, E.M. Severe combined immunodeficiency mouse-human skin chimeras: a unique animal model for the study of psoriasis and cutaneous inflammation, 931
REBORA, A. *see* DRAGO, F.
REBORA, A. *see* PODDA, M.
REBORA, A. *see* RONGIOLETTI, F.
REITAMO, S. *see* LUGER, T.
RENDINE, S. *see* CARROZZO, M.
RENZI, D. *see* CAPRONI, M.
REVUZ, J. *see* CHOSIDOW, O.
REVUZ, J. *see* MORENO, J-C.
REYNAUD, A. *see* ROSS, J.I.
RHODES, L.E. *see* AZURDIA, R.M.
RHODES, L.E. *see* GERSCHER, S.
RIBERTI, C. *see* PARODI, P.C.
RICCI, G., PATRIZI, A., SPECCHIA, F. & MASI, M. Effect of house dust mite avoidance measures in children with atopic dermatitis: reply from authors, 913
RIECHERS, R. *see* SPAETH, S.

RING, J., KOWALZICK, L., CHRISTOPHERS, E., SCHILL, W.B., SCHÖPF, E., STÄNDER, M., WOLFF, H.H. & ALTMEYER, P. Calcitriol 3 $\mu g\ g^{-1}$ ointment in combination with ultraviolet B phototherapy for the treatment of plaque psoriasis: results of a comparative study, 495
RIOU, S. *see* LAFFITTE, E.
RO, Y-J. *see* ROH, K-Y.
ROBERTS, C. *see* HOLME, S.A.
ROBERTS, D.L. *see* HOLME, S.A.
RÖCKEN, M. *see* MESSER, G.
RODRÍGUEZ, G., ORDÓÑEZ, N. & MOTTA, A. *Histoplasma capsulatum* var. *capsulatum* within cutaneous nerves in patients with disseminated histoplasmosis and AIDS, 205
ROED-PETERSEN, J. *see* LUGER, T.
ROGGERO, S. *see* CARROZZO, M.
ROH, K-Y., KIM, D., HA, S-J, RO, Y-J., KIM, J-W. & LEE, H-J. Pigmentation in Koreans: study of the differences from caucasians in age, gender, and seasonal variations, 94
RONGIOLETTI, F. *see* PODDA, M.
RONGIOLETTI, F., HAZINI, A. & REBORA, A. Coma associated with scleromyxoedema and interferon alfa therapy. Full recovery after steroids and cyclophosphamide combined with plasmapheresis, 1283
ROSENDO, R. *see* GONZALO, M.A.
ROSS, J.I., SNELLING, A.M., EADY, E.A., COVE, J.H., CUNLIFFE, W.J., LEYDEN, J.J., COLLIGNON, P., DRÉNO, B., REYNAUD, A., FLUHR, J. & OSHIMA, S. Phenotypic and genotypic characterization of antibiotic-resistant *Propionibacterium acnes* isolated from acne patients attending dermatology clinics in Europe, the U.S.A., Japan and Australia, 339
ROSS, J.S. *see* GIBBON, K.L.
ROUFOSSE, F., SIMONART, T. & COGAN, E. Skin lesions as the only manifestation of the idiopathic hypereosinophilic syndrome, 639
RUBEGNI, P. *see* DE ALOE, G.
RUGG, E.L. *see* IRVINE, A.D.
RUMIO, C. *see* BARAJON, I.
RUNNE, U. *see* OCHSENDORF, F.R.
RUSSELL-JONES, R. Immunotyping of Sézary cells, 2
RUSSELL-JONES, R. *see* CHILD, F.J.
RUSSELL-JONES, R. *see* EVANS, A.V.
RUSSELL-JONES, R. *see* SCARISBRICK, J.J.
RUTTEN, F.F.H. *see* TOUW, C.R.
RYCROFT, R.J.G. *see* GIBBON, K.L.
RYTINA, E. *see* WARAKAULLE, D.R.
SAADATZADEH, M.R., ASHBEE, H.R., CUNLIFFE, W.J. & INGHAM, E. Cell-mediated immunity to the mycelial phase of *Malssezia* spp. in patients with pityriasis versicolor and controls, 77
SABROE, R. *see* SCARISBRICK, J.J.
SACHS, B., ERDMANN, S., AL-MASAOUDI, T. & MERK, H.F. *In vitro* drug allergy detection system incorporating human liver microsomes in chlorazepate-induced skin rash: drug-specific proliferation associated with interleukin-5 secretion, 316
SAITO, R. *see* KAWAKAMI, T.
SAKAMOTO, F. *see* ITO, A.
SAKAMOTO, F. *see* KASAHARA, N.
SALIM, A. *see* PURNELL, D.
SALMHOFER, W. *see* SCHAEPPI, H.
SAMPAIO, E.P. *see* MORAES, M.O.
SAMPAT, S. *see* STOOF, T.J.
SÁNCHEZ-MANZANO, C. *see* PEÑA PENABAD, C.
SANDER, C.A. *see* BEZOLD, G.
SANO, S. *see* NAKAJIMA, T.
SANYAL, M. *see* RAYCHAUDHURI, S.P.
SARAIVA, B.C.C. *see* MORAES, M.O.
SARNO, E.N. *see* MORAES, M.O.
SATA, T. *see* MITSUISHI, T.
SATO, S. *see* SUEKI, H.
SATO, T. *see* GOTO, M.
SATO-MATSUMURA, K.C. *see* YASUKAWA, K.
SAURAT, J-H. *see* LAFFITTE, E.
SAVOIA, P. *see* BERNENGO, M.G.
SAWADA, Y. *see* YAMAMOTO, T.
SCAPARRO, E., QUADRI, G., VIRNO, G., ORIFICI, C. & MILANI, M. Evaluation of the efficacy and tolerability of oral terbinafine (Daskil®) in patients with seborrhoeic dermatitis. A multicentre, randomized, investigator-blinded, placebo-controlled trial, 854
SCARISBRICK, J.J., CHILD, F.J., CLIFT, A., SABROE, R., WHITTAKER, S.J., SPITTLE, M. & RUSSELL-JONES, R. A trial of fludarabine and cyclophosphamide combination chemotherapy in the treatment of advanced refractory primary cutaneous T-cell lymphoma, 1010
SCHAEPPI, H., BAUER, J.W., HAMETNER, R., METZE, D., ORTIZ-URDA, S., SALMHOFER, W., RAPPERSBERGER, K. & HINTNER, H. A localized variant of paraneoplastic pemphigus: acantholysis associated with malignant melanoma, 1249
SCHARFFETTER-KOCHANEK, K. *see* TANTCHEVA-POÓR, I.
SCHEPIS, C. *see* SIRAGUSA, M.
SCHIANCHI, S. *see* CALISTA, D
SCHIENER, R. *see* BEZOLD, G.
SCHIFFNER, R., SCHIFFNER-ROHE, J., GERSTENHAUER, M., HOFSTÄDTER, F., LANDTHALER, M. & STOLZ, W. Differences in efficacy between intention-to-treat and per-protocol analyses for patients with psoriasis vulgaris and atopic dermatitis: clinical and pharmacoeconomic implications, 1154
SCHIFFNER-ROHE, J. *see* SCHIFFNER, R.
SCHILL, W.B. *see* RING, J.
SCHMELLER, W. & DZIKUS, A. Skin diseases in children in rural Kenya: long-term results of a dermatology project within the primary health care system, 118
SCHMELLER, W. *see* GABER, Y.
SCHMID, S. *see* YAWALKAR, N.
SCHMIDT, B. *see* BREIER, F.
SCHMIDT, S., FISCHER, T.W., CHREN, M.M., STRAUSS, B.M. & ELSNER, P. Strategies of coping and quality of life in women with alopecia, 1038
SCHMIDTCHEN, A. *see* LUNDQVIST, K.
SCHMUTH, M. *see* WEBER, F.

SCHOEPF, E. *see* LUGER, T.
SCHÖPF, E. *see* RING, J.
SCHULER, G. *see* OGILVIE, A.L.J.
SCHWEIZER, J. *see* CRIBIER, B.
SCOTT, A. *see* FAERGEMANN, J.
SCOTT, G. *see* HARPER, J.
SCULLY, C. Discoloured tongue: a new cause?, 1293
SEATON, E.D., BAXTER, K.F. & CUNLIFFE, W.J. Familial dysmorphophobia, 439
SEED, P.T. *see* HARMAN, K.E.
SÉGARD, M. *see* BATARD, M-L.
SEISHIMA, M., IZUMI, T. & OYAMA, Z. Rubella-like or morbilliform eruptions in non-immunosuppressed patients with positive IgM antibody to cytomegalovirus, 203
SELA, M. *see* LOTEM, M.
SEPP, N. *see* WEBER, F.
SERVERA-LLANERAS, M. *see* TANTCHEVA-POÓR, I.
SETH, R. *see* PURNELL, D.
SETHURAMAN, G. *see* HANDA, S.
SETOYAMA, M. *see* KAWABATA, H.
SETTERFIELD, J.F., SHIRLAW, P.J., CHALLACOMBE, S.J. & BLACK, M.M. Pyoderma gangrenosum associated with severe oropharyngeal involvement and IgA paraproteinaemia, 393
SEUKERAN, D.C. *see* LING, T.C.
SEVERI, G. *see* AUTIER, P.
SHARFAEI, S., VIAU, G., LUI, H., BOUFFARD, D. & BISSONNETTE, R. Systemic photodynamic therapy with aminolaevulinic acid delays the appearance of ultraviolet-induced skin tumours in mice, 1207
SHARMA, V.K. *see* HANDA, S.
SHARMA, V.K., ACHAR, A., RAMAM, M. & SINGH, M.K. Multiple cutaneous horns overlying lichen planus hypertrophicus, 424
SHEAHAN, K. *see* MARKHAM, T.
SHEARS, E. *see* ALLEN, J.
SHEEHAN-DARE, R. *see* POLLOCK, B.
SHEN, J-L. *see* CHEN, Y-J.
SHERIDAN, D.J. *see* MORRIS-JONES, R.
SHEU, H-M. *see* HSIAO, C-J.
SHIBUYA, H. *see* GOTO, M.
SHIMIZU, H. *see* AKIYAMA, M.
SHIMIZU, H. *see* SHIMIZU, S.
SHIMIZU, S., SHIMIZU, T., TATEISHI, Y. & SHIMIZU, H. Keratosis follicularis squamosa (Dohi): a follicular keratotic disorder well known in Japan, 1070
SHIMIZU, T. *see* SHIMIZU, S.
SHIMOZAWA, N. *see* ICHIKI, Y.
SHIMUZU, H. *see* YASUKAWA, K.
SHIOHARA, T. *see* MIZUKAWA, Y.
SHIOHARA, T. *see* TERAKI, Y.
SHIPLEY, D.R.V. & HEWITT, J.B. Polymorphic light eruption treated with cyclosporin, 446
SHIRLAW, P.J. *see* SETTERFIELD, J.F.
SHIVJI, G. *see* AMERIO, P.
SHUTTLEWORTH, C.A. *see* WATSON, R.E.B.
SIDWELL, R.U. *see* PORTER, W.M.
SIDWELL, R.U., FRANCIS, N. & BUNKER, C.B. Hormonal influence on reticular erythematous mucinosis, 633
SIDWELL, R.U., SYED, S. & HARPER, J.I. Port-wine stains and eczema, 1269
SIDWELL, R.U., SYED, S. & HARPER, J.I. Pulsed dye laser treatment for inflammatory linear verrucous epidermal naevus, 1267
SIEMENS, H-J. *see* GABER, Y.
SILVESTRE, J.F. *see* CARNERO, L.
SIM, J.Y. *see* CHANG, S.N.
SIMONART, T. *see* DEBUSSCHER, C.
SIMONART, T. *see* ROUFOSSE, F.
SIMPSON, D. *see* FARRELL, A.M.
SIMPSON, N. Antibiotics in acne: time for a rethink, 225
SINCLAIR, R.D. *see* THAI, K-E.
SINGH, M.K. *see* SHARMA, V.K.
SIRAGUSA, M., SCHEPIS, C., COSENTINO, F.I.I., SPADA, R.S., TOSCANO, G. & FERRI, R. Nail pathology in patients with hemiplegia, 557
SKARIA, M. *see* LAFFITTE, E.
SKELTON, H. *see* SMITH, K.J.
SKRANES, J. *see* NORDAL, E.J.
SMITH, C.H. *see* FULLER, L.C.
SMITH, F.J.D. *see* CONNORS, J.B.
SMITH, K.J. & SKELTON, H. Common variable immunodeficiency treated with a recombinant human IgG, tumour necrosis factor-<α receptor fusion protein, 597
SNAUDER, D.N. *see* AMERIO, P.
SNEAD, D. *see* PURNELL, D.
SNELLING, A.M. *see* ROSS, J.I.
SNELLMAN, E. & RANTANEN, T. Concentration-dependent phototoxicity in trimethylpsoralen bath psoralen ultraviolet A, 490
SODAIFI, M. *see* HANDJANI, F.
SØGAARD, H. *see* ZACHARIAE, H.
SOMA, Y. *see* KANBE, T.
SOMA, Y. *see* KAWAKAMI, T.
SONODA, T. *see* GOTO, M.
SORELLI, P. *see* ASHTON, G.H.S.
SOUBERBEILLE, B. *see* PANDHA, H.S.
SOUIL, E., CAPON, A., MORDON, S., DINH-XUAN, A.T., POLLA, B.S. & BACHELET, M. Treatment with an 815-nm diode laser induces long-lasting expression of 72-kDa heat shock protein in normal rat skin, 260
SPADA, R.S. *see* SIRAGUSA, M.
SPAETH, S., RIECHERS, R., BORRADORI, L., ZILLIKENS, D., BÜDINGER, L. & HERTL, M. IgG, IgA and IgE autoantibodies against the ectodomain of desmoglein 3 in active pemphigus vulgaris, 1183
SPECCHIA, F. *see* RICCI, G.
SPITTLE, M. *see* SCARISBRICK, J.J.
SPITTLE, M.F. *see* FERSHT, N.
STÄNDER, M. *see* RING, J.
STANEK, G. *see* BREIER, F.
STARINK, T.M. *see* VAN DER WAAL, R.I.F.
STAUGHTON, R.C.D. *see* MORRIS-JONES, R.
STEIJLEN, P.M. *see* VAN STEENSEL, M.A.M.

STEINER, R.A. *see* LADNER, D.P.
STEINHOFF, M., METZE, D., STOCKFLETH, E. & LUGER, T.A. Successful topical treatment of focal epithelial hyperplasia (Heck's disease) with interferon-β, 1067
STEPHENS, P., DAVIES, K.J., OCCLESTON, N., PLEASS, R.D., KON, C., DANIELS, J., KHAW, P.T. & THOMAS, D.W. Skin and oral fibroblasts exhibit phenotypic differences in extracellular matrix reorganization and matrix metalloproteinase activity, 229
STERLING, J.C., HANDFIELD-JONES, S. & HUDSON, P.M. Guidelines for the management of cutaneous warts, 4
STEWART, D.G. *see* GILMOUR, E.
STICHERLING, M. *see* BAIMA, B.
STINCO, G. *see* PARODI, P.C.
STOCKFLETH, E. *see* STEINHOFF, M.
STOCKFLETH, E., MEYER, T., BENNINGHOFF, B. & CHRISTOPHERS, E. Successful treatment of actinic keratosis with imiquimod cream 5%: a report of six cases, 1050
STOEBNER, P. *see* DUMAY, O.
STOLZ, W. *see* SCHIFFNER, R.
STOOF, T.J., FLIER, J., SAMPAT, S., NIEBOER, C., TENSEN, C.P. & BOORSMA, D.M. The antipsoriatic drug dimethylfumarate strongly suppresses chemokine production in human keratinocytes and peripheral blood mononuclear cells, 1114
STOUTHAMER, A., NIEBOER, C., VAN DER WAAL, R.I.F. & JONKMAN, M.F. Normal expression of the 19-DEJ-1 epitope in two siblings with late-onset junctional epidermolysis bullosa, 1054
STRAUSS, B.M. *see* SCHMIDT, S.
STRAUSS, R.M. & HARRINGTON, C.I. Stump acne: a new variant of acne mechanica and a cause of immobility, 647
STUART, L. & WILES, P.G. Management of ulcerated necrobiosis lipoidica: an innovative approach, 907
STÜCKER, M. *see* AVERMAETE, A.
SUEKI, H., AMEMIYA, M., WATANABE, H., AKIYAMA, M., SATO, S. & IIJIMA, M. Spontaneous resolution in a case of pseudo-pseudoxanthoma elasticum, 213
SUEKI, H., WHITAKER-MENEZES, D. & KLIGMAN, A.M. Structural diversity of mast cell granules in black and white skin, 85
SUGAWARA, H. *see* KATO, N.
SUGIHARA, H., TODA, S., YONEMITSU, N. & WATANABE, K. Effects of fat cells on keratinocytes and fibroblasts in a reconstructed rat skin model using collagen gel matrix culture, 244
SUGITA, Y. *see* AIHARA, M.
SUSUKI, Y. *see* ICHIKI, Y.
SUTER, L. *see* FUHRMANN, D.
SUTO, H. *see* AIOI, A.
SUZUKI, H. *see* AMERIO, P.
SUZUKI, N. *see* HISHINUMA, T.
SUZUKI, T. *see* WATANABE, K.
SVANBERG, K. *see* WANG, I.
SVANBERG, S. *see* WANG, I.
SWALE, V.J. & MCGREGOR, J.M. Amlodipine-associated lichen planus, 920
SYED, S. *see* SIDWELL, R.U.
SZABÓ, G. *see* BALTÁS, E.
TAGAMI, H. *see* HISHINUMA, T.
TAJIMA, S. *see* ITOH, Y.
TAKAHASHI, A., TAMURA, A. & ISHIKAWA, O. A case of fibro-osseous pseudotumour of the digits, 1274
TAKAHASHI, K. *see* TANIOKA, M.
TAKAHASHI, S. *see* AIHARA, M.
TAKAHASHI, T. *see* YASUKAWA, K.
TAKATORI, K. *see* CHUNG, Y.L.
TAKAYASU, S. *see* GOTO, M.
TAKEDA, H. & KONDO, S. Immunohistochemical study of angiotensin receptors in normal human sweat glands and eccrine poroma, 1189
TAKEHARA, K. *see* INAOKI, M.
TAKEMA, Y. *see* TSUKAHARA, K.
TAKEUCHI, K. *see* AIHARA, M.
TAKIGAWA, M. *see* INUZUKA, M.
TAKIZAWA, Y. *see* AKIYAMA, M.
TAKWALE, A., AGARWAL, S., HOLMES, S.C. & BERTH-JONES, J. Tinea capitis in two elderly women: transmission at the hairdresser, 898
TAMM, K. *see* LAFFITTE, E.
TAMURA, A. *see* TAKAHASHI, A.
TAN, S.H. *see* WONG, S-N.
TANAKA, T. *see* TANIOKA, M.
TANIOKA, M., IKOMA, A., MORITA, K., FUJII, H., TODA, K-I., TAKAHASHI, K., TANAKA, T., NISHIGORI, C., JIN, G., HIGASHI, S., TOYOKUNI, S. & MIYACHI, Y. Angiosarcoma of the scalp: absence of vascular endothelial cadherin in primary and metastatic lesions, 380
TANTCHEVA-POÓR, I., SERVERA-LLANERAS, M., SCHARFFETTER-KOCHANEK, K. & FUHR, U. Liver cytochrome P450 CYP1A2 is markedly inhibited by systemic but not by bath PUVA in dermatological patients, 1127
TAPPEINER, G. *see* BREIER, F.
TARSTEDT, M. *see* MOLIN, L.
TATEISHI, Y. *see* SHIMIZU, S.
TAUBE, K-M. *see* FISCHER, M.
TAUBE, K-M. *see* WOHLRAB, J.
TAYLOR, D. *see* VARMA, S.
TAYLOR, N.F. *see* KEANE, F.M.
TAYLOR, P., GOLDSMITH, P., MURRAY, K., HARRIS, D. & BARKLEY, A. Evaluating a telemedicine system to assist in the management of dermatology referrals, 328
TEGEDER, I. *see* GRUNDMANN-KOLLMANN, M.
TELFER, N.R. Mohs' micrographic surgery for cutaneous squamous cell carcinoma: practical considerations – reply from author, 186
TENAUD, I *see* LEROY, S.
TENSEN, C.P. *see* STOOF, T.J.
TERAKI, Y. & SHIOHARA, T. Propolis-induced granulomatous contact dermatitis accompanied by marked lymphadenopathy, 1277

TERASHI, H. *see* GOTO, M.
TERCEDOR, J., LÓPEZ HERNÁNDEZ, B. & MANUEL RÓDENAS, J. Nail diseases in haemodialysis patients: case-control study, 445
TERUEL, A. *see* MENÉNDEZ, V.
THAI, K-E. & SINCLAIR, R.D. Cutaneous pili migrans, 219
THESTRUP-PEDERSEN, K. *see* BANG, K.
THESTRUP-PEDERSEN, K. *see* LUGER, T.
THOMAS, D.W. *see* STEPHENS, P.
THOMAS, G. *see* CLARK, S.M.
THOMAS, P. *see* BATARD, M-L.
THOMAS, P.D. *see* JIMBOW, K.
THORNHILL, M.H. *see* LITTLE, M.C.
THURSTON, M. *see* LUGER, T.
TIDMAN, M.J. *see* ALLAN, S.J.R.
TOCHNER, Z.A. *see* LOTEM, M.
TODA, K-I. *see* OHTOSHI, E.
TODA, K-I. *see* TANIOKA, M.
TODA, S. *see* SUGIHARA, H.
TOKURA, Y. *see* INUZUKA, M.
TOMENSON, J.A. *see* MEMON, A.A.
TOMITA, K. *see* INUZUKA, M.
TONOGAITO, H. *see* AIOI, A.
TOONSTRA, J. *see* VAN NEER, F.J.M.A.
TORRELO, A., MARRERO, M.D., MEDIERO, I.G., MARTÍNEZ, M.A. & ZAMBRANO, A. Progressive macular leucoderma in a patient with congenital ichthyosiform erythroderma, 1280
TOSCANO, G. *see* SIRAGUSA, M.
TOSTI, A. *see* PIRACCINI, B.M.
TOTO, P. *see* AMERIO, P.
TOUW, C.R., HAKKAART VAN-ROIJEN, L., VERBOOM, P., PAUL, C., RUTTEN, F.F.H. & FINLAY, A.Y. Quality of life and clinical outcome in psoriasis patients using intermittent cyclosporin, 967
TOYODA, M., MAKINO, T., KAGOURA, M. & MOROHASHI, M. Expression of neuropeptide-degrading enzymes in alopecia areata: an immunohistochemical study, 46
TOYOKUNI, S. *see* TANIOKA, M.
TREATMENT, OF CANCER MELANOMA *see* AUTIER, P.
TRENDAL-SMITH, N. *see* YEUNG, C.K.
TSUKAHARA, K., TAKEMA, Y., MORIWAKI, S., FUJIMURI, T., IMAYAMA, S. & IMOKAWA, G. Carbon dioxide laser treatment promotes repair of the three-dimensional network of elastic fibres in rat skin, 452
TUCKER, S.C. *see* GRIFFITHS, C.E.M.
TURNER, R.J. *see* LAWRENCE, C.M.
UERLICH, M. *see* GERDSEN, R.
UITTO, J. *see* LIN, M.T.S.
UTAS, S. *see* KÖSE, K.
VACCARÓ, M. *see* BORGIA, F.
VALLAT, C. *see* DEREURE, O.
VAN DE SCHEUR, M.R. *see* VAN DER WAAL, R.I.F.
VAN DER VALK, P.G.M. *see* LUGER, T.
VAN DER WAAL, R.I.F. *see* STOUTHAMER, A.
VAN DER WAAL, R.I.F., VAN DE SCHEUR, M.R., PAS, H.H., JONKMAN, M.F., VAN GROENINGEN, C.J., NIEBOER, C. & STARINK, T.M. Linear IgA bullous dermatosis in a patient with renal cell carcinoma, 870
VAN GROENINGEN, C.J. *see* VAN DER WAAL, R.I.F.
VAN LEENT, E.J.M. *see* LUGER, T.
VAN NEER, F.J.M.A., TOONSTRA, J., VAN VOORST VADER, P.C., WILLEMZE, R. & VAN VLOTEN, W.A. Lymphomatoid papulosis in children: a study of 10 children registered by the Dutch Cutaneous Lymphoma Working Group, 351
VAN STEENSEL, M.A.M., JASPERS, N.G.J. & STEIJLEN, P.M. A case of Rombo syndrome, 1215
VAN VLOTEN, W.A. *see* VAN NEER, F.J.M.A.
VAN VOORST VADER, P.C. *see* VAN NEER, F.J.M.A.
VANDERSTEEN, D.P. *see* KIM, Y-C.
VARMA, S., WILSON, H., KURWA, H.A., BRAMBLES, B., CHARMAN, C., PEARSE, A.D., TAYLOR, D. & ANSTEY, A.V. Bowen's disease, solar keratoses and superficial basal cell carcinomas treated by photodynamic therapy using a large-field incoherent light source, 567
VERBOOM, P. *see* TOUW, C.R.
VERGIER, B. *see* COGREL, O.
VIAN, L. *see* DUMAY, O.
VIAU, G. *see* SHARFAEI, S.
VIDAL, D., BARNARDAS, M., PÉREZ, M., COLL, P. & ALOMAR, A. Tuberculous gumma following venepuncture, 601
VIGLIO, S. *see* DYNE, K.
VIRNO, G. *see* SCAPARRO, E.
VLAHOS, L.J. *see* KOUVARIS, J.R.
VOLLERT, B., BLAHETA, H-J., MOEHRLE, E., JUENGER, M. & RASSNER, G. Intravenous regional anaesthesia for treatment of palmar hyperhidrosis with botulinum toxin type A, 632
VON DER WERTH, J.M. & JEMEC, G.B.E. Morbidity in patients with hidradenitis suppurativa, 809
VON KOBYLETZKI, G. *see* AVERMAETE, A.
WALKER, C.C. *see* PORTER, W.M.
WALKER, M. *see* MORRIS-JONES, R.
WALT, H. *see* LADNER, D.P.
WANG, B. *see* AMERIO, P.
WANG, F. *see* LIN, M.T.S.
WANG, I., BENDSOE, N., KLINTEBERG, C.A.F., ENEJDER, A.M.K., ANDERSSON-ENGELS, S., SVANBERG, S. & SVANBERG, K. Photodynamic therapy vs. cryosurgery of basal cell carcinomas: results of a phase III clinical trial, 832
WARAKAULLE, D.R., RYTINA, E. & BURROWS, N.P. Merkel cell tumour associated with chronic lymphocytic leukaemia, 216
WATANABE, H. *see* SUEKI, H.
WATANABE, K. *see* SUGIHARA, H.
WATANABE, K., KUSAKABE, T., HOSHI, N. & SUZUKI, T. Subcutaneous cellular neurothekeoma: a pseudosarcomatous tumour, 1273
WATSON, R.E.B. *see* LITTLE, M.C.
WATSON, R.E.B., BALL, S.G., CRAVEN, N.M., BOORSMA, J., EAST, C.L., SHUTTLEWORTH, C.A., KIELTY, C.M. &

GRIFFITHS, C.E.M. Distribution and expression of type VI collagen in photoaged skin, 751
WATT, P. *see* GERSCHER, S.
WEBER, F., FUCHS, P.G., PFISTER, H.J., HINTNER, H., FRITSCH, P. & HOEPFL, R. Human papillomavirus infection in Netherton's syndrome, 1044
WEBER, F., SCHMUTH, M., FRITSCH, P. & SEPP, N. Lymphocytic infiltration of the skin is a photosensitive variant of lupus erythematosus: evidence by phototesting, 292
WECHSLER, J. *see* POSZEPCZYNSKA, E.
WELZEL, J. *see* EISENBEISS, C.
WESTGATE, G. *see* FAERGEMANN, J.
WHITAKER-MENEZES, D. *see* SUEKI, H.
WHITE, C. *see* HARRIS, J.M.
WHITE, I.R. *see* GIBBON, K.L.
WHITE, M. *see* MURPHY, M.
WHITTAKER, S.J. *see* CHILD, F.J.
WHITTAKER, S.J. *see* SCARISBRICK, J.J.
WILES, P.G. *see* STUART, L.
WILHELM, S. *see* KUNZ, M.
WILKINSON, S.M. *see* POLLOCK, B.
WILLEMZE, R. *see* VAN NEER, F.J.M.A.
WILLIAMS, H.C. Are we going OTT about ITT?, 1101
WILLIAMS, H.C. *see* EMERSON, R.M.
WILLIAMS, H.C. *see* HARRIS, J.M.
WILSON, H. *see* VARMA, S.
WINTER, H. *see* CRIBIER, B.
WOHLRAB, J. *see* FISCHER, M.
WOHLRAB, J., FISCHER, M., TAUBE, K-M. & MARSCH, W.C. Treatment of recalcitrant psoriasis with daclizumab, 209
WOHLRAB, J., JAHN, K., PLAETZER, M., NEUBERT, R. & MARSCH, W.C. Topical application of mycophenolate mofetil in plaque-type psoriasis, 1263
WOJNAROWSKA, F. *see* ALLEN, J.
WOJNAROWSKA, F. *see* GOOPTU, C.
WOJNAROWSKA, F. *see* POWELL, J.
WOLFF, H.H. *see* RING, J.
WOLKENSTEIN, P. *see* MORENO, J-C.
WOLTER, M. *see* PODDA, M.
WON, Y.H. *see* LEE, S-C.
WONG, S-N., TAN, S.H. & KHOO, S.W. Late-onset hydroa vacciniforme: two case reports, 874
WONG, T-W. *see* HSIAO, C-J.
WOODROW, S.L., POPE, F.M. & HANDFIELD-JONES, S.E. The Buschke-Ollendorff syndrome presenting as familial elastic tissue naevi, 890
WOOLFORD, A.J. *see* CHILD, F.J.
WOOTTON, R. *see* EEDY, D.J.
WORTMANN, S. *see* KUNZI-RAPP, K.
WU, C-Y. *see* CHEN, Y-J.
WU, K. *see* BANG, K.
WYGODA, M. *see* LOTEM, M.
Y AUDIT COMMITTEE, ALL-WALES DERMATOLOG *see* CHAVE, T.A.
YAMAMOTO, T., NISHIKAWA, T., FUJII, T. & MIZUNO, K. A giant epidermoid cyst demonstrated by magnetic resonance imaging, 217
YAMAMOTO, T., SAWADA, Y., KATAYAMA, I. & NISHIOKA, K. Local expression and systemic release of stem cell factor in systemic sclerosis with diffuse hyperpigmentation, 199
YAMAMOTO, Y. *see* OGATA, K.
YASUKAWA, K., MATSUMURA, T., SATO-MATSUMURA, K.C., TAKAHASHI, T., FUJIOKA, Y., KOBAYASHI, H. & SHIMUZU, H. Kikuchi's disease and the skin: case report and review of the literature, 885
YAWALKAR, N., SCHMID, S., BRAATHEN, L.R. & PICHLER, W.J. Perforin and granzyme B may contribute to skin inflammation in atopic dermatitis and psoriasis, 1133
YAZICI, C. *see* KÖSE, K.
YEBRA, M.T. *see* PEÑA PENABAD, C.
YEUNG, C.K., AU, W-Y., TRENDAL-SMITH, N. & CHAN, H.H. Panniculitis heralding blastic transformation of myelofibrosis, 905
YOKOHAMA, S. *see* GOTO, M.
YONEMITSU, N. *see* SUGIHARA, H.
YOON, K. *see* LIN, M.T.S.
YOSHI, N. *see* KODAMA, K.
YOSHIKAWA, K. *see* NAKAJIMA, T.
YOTSUMOTO, S. *see* KODAMA, K.
YU, R.C. *see* KAPUR, N.
YUN, S.J. *see* LEE, S-C.
ZACHARIAE, H., HEICKENDORFF, L. & SØGAARD, H. The value of aminoterminal propeptide of type III procollagen in routine screening for methotrexate-induced liver fibrosis: a 10-year follow-up, 100
ZAGULA, M. *see* QUEILLE-ROUSSEL, C.
ZAMBRANO, A. *see* TORRELO, A.
ZANABONI, G. *see* DYNE, K.
ZEINA, B., GREENMAN, J., PURCELL, W.M. & DAS, B. Killing of cutaneous microbial species by photodynamic therapy, 274
ZELLER, J. *see* MORENO, J-C.
ZELTSER, R. *see* LOTEM, M.
ZILLIKENS, D. *see* SPAETH, S.
ZIMMERMANN, R. *see* KUNZ, M.
ZOLLNER, T.M. *see* GRUNDMANN-KOLLMANN, M.

British Journal of Dermatology 2001; **144**: 1315–1326.

Subject

acantholysis associated with malignant melanoma (Case report) 1249
aciclovir therapy in genital herpes infection 818
acitretin in keratosis lichenoides chronica (Correspondence) 422
acne
  antibiotic therapy 225
  inflammatory events in initiation (Poster) 672
  photodynamic therapy 575
  stump (Correspondence) 647
acne keloidalis, nuchal, association with cyclosporin (Correspondence) 429
acne mechanica (Correspondence) 647
acquired reactive perforating collagenosis, TGF-β3 expression (Correspondence) 197
acrodermatitis enteropathica and zinc transporter protein gene *znt4* (Poster) 671
actinic keratosis
  photodynamic therapy (Poster) 676
  prevalence in Merseyside population (Correspondence) 437
  treatment with imiquimod cream 1050
actinic prurigo, caucasian (Correspondence) 194
AC-YVAD-CMK, effect of topical application on Langerhans cell migration and contact hypersensitivity response in mice (Abstract) 662
adolescence, prevalence of atopic dermatitis, asthma, allergic rhinitis and contact dermatitis 523
adult T-cell leukaemia/lymphoma
  cutaneous tumour showing HTLV-1 DNA integration (Case report) 1244
  molecular cytogenetic characterization (Poster) 666
  spontaneous regression of cutaneous lesions (Correspondence) 434
aged human skin, retinoic acid receptor-α (Abstract) 660
AIDS *see* HIV infection
allergic contact dermatitis to chloroxylenol, depigmentation following (Correspondence) 1275
allergic rhinitis, prevalence in adolescence 523
alopecia
  coping strategies and quality of life of women with 1038
  expression of neuropeptide-degrading enzymes 46
  familial scarring, with scalp psoriasis (Correspondence) 425
  IL-1 gene cluster polymorphisms (Abstract) 657
α-hydroxyacids, topical effects on normal skin barrier of hairless mice 267
α-*N*-acetylgalactosaminidase deficiency with angiokeratoma corporis diffusum and Menière's disease (Case report) 363
amenorrhoea, thalidomide-induced (Correspondence) 1292
amlodipine, lichen planus associated (Correspondence) 920
angiokeratoma corporis diffusum with Menière's disease and α-*N*-acetylgalactosaminidase deficiency (Case report) 363
angio-oedema
  and eosinophilia, cytokine profile (Case report) 169
  and urticaria, management and diagnostic guidelines 708
angiosarcoma of the scalp (Case report) 380
angiotensin receptors, immunohistochemical study in human sweat glands and eccrine poroma 1189
anticonvulsant hypersensitivity syndrome and reactivation of cytomegalovirus (Case report) 1231
antiepidermal growth factor receptor antibody C225, cutaneous side effects 1169
antigen-presenting cells
  epidermal, effects of UVA1 exposure 1161
  fractalkaline expression in psoriasis 1105
antimicrobials
  therapy in acne 225
  topical, *in vivo* model system for assessment (Poster) 674
antique restorer, localized argyria (Correspondence) 191
antitumour necrosis factor-α antibody therapy in psoriatic arthritis (Concise communication) 587
apoptosis
  in basal cell carcinoma 841
  in different cutaneous manifestations of lupus erythematosus 958
argyria, localized, in an antique restorer (Correspondence) 191
arteriovenous haemangioma in chronic liver disease (Case report) 604
ascomycin 679
  derivatives and skin atrophy 507
asthma prevalence in adolescence 523
ataxia telangiectasia, pigmentary anomalies (Case report) 369
atopic dermatitis
  and breastfeeding (Poster) 670
  childhood, effect of house dust mite avoidance measures (Correspondence) 912, (Correspondence) 913
  cost in preschool children 514
  differences in efficacy between intention-to-treat and per-protocol analyses 1154
  distribution of tacrolimus-binding protein in skin (Poster) 669
  elevated serum levels of soluble stem cell factor and soluble KIT 1148
  environmental association in early life 795
  intact nerve supply (Correspondence) 1270
  measurement of nocturnal scratching by wrist activity monitor 305
  methicillin-resistant *Staphylococcus aureus* in (Abstract) 925
  mycophenolate mofetil therapy (Correspondence) 638
  and port-wine stain (Correspondence) 1269
  prevalence in adolescence 523
  role of cutaneous dendritic cells in immunopathogenesis (Review article) 940

© 2001 British Association of Dermatologists

role of perforin and granzyme B in skin inflammation 1133
with scarring molluscum contagiosum (Correspondence) 1094
severe childhood, azathioprine therapy (Abstract) 927
T-helper cell cytometric assay before and after cyclosporin therapy 24
thymocyte-like T cells in blood and skin 1140
topical SDZ ASM 981 therapy 781, 788
urinary leukotriene E_4 excretion 19
autoimune lymphoproliferative syndrome with linear IgA disease of childhood (Abstract) 925
azathioprine in severe childhood atopic dermatitis (Abstract) 927

basal cell carcinoma
association of allelic variants with a high-risk subgroup of patients with multiple presentation phenotype (Poster) 667
expression of alpha-smooth muscle actin in epithelial and stromal components (Poster) 667
gene mutations, loss of heterozygosity, p53 and BCL2 expression and apoptosis in Korean patients 841
photodynamic therapy vs. cryosurgery 832
superficial, photodynamic therapy 567
tumour clustering and increased accrual in high-risk subgroup (Poster) 676
basement membrane zone, assessment of antibodies in urine of patients with acquired subepidermal immunobullous diseases 540
BAX gene mutation in basal cell carcinoma 841
BCG vaccination, lupus vulgaris following (Correspondence) 444
BCL2 expression in basal cell carcinoma 841
beard hairs, multigeminate, and folliculitis (Correspondence) 427
Bin 1 expression in human anagen hair follicles 1193
bladder diverticula with EhlersDanlos syndrome (Case report) 1084
blisters, acute oedema (Concise communication) 580
blue naevi, acquired multiple (Correspondence) 440
body water distribution, influence on skin thickness 947
bone marrow, involvement in cutaneous mastocytosis 561
Borrelia afzelii isolation and typing from skin lesion in generalized ulcerating bullous lichen sclerosus et atrophicus (Case report) 387
botulinum toxin therapy
dose thresholds and duration of local anhidrotic effect of injections 111
intravenous regional anaesthesia (Correspondence) 632
bowenoid papulosis
extragenital, HPV-18 in (Case report) 619
in HIV infection, cidofovir therapy (Correspondence) 642
Bowen's disease
elbow, HPV type 58 (Case report) 384
photodynamic therapy 567
breastfeeding and atopic dermatitis (Poster) 670
Breslow thickness, clinical correlates in melanoma 476
British Society for Investigative Dermatology, Abstracts of Annual Meeting 651
British Society for Paediatric Dermatology, Abstracts of Meeting 923
bullous pemphigoid
IgG2 antiBMZ response and plasmapheresis (Poster) 664
plectin as target antigen (Concise communication) 136
bullous pemphigoid 180 antigen
autoantibodies to extracellular and intracellular domains 760
T-cell recognition in autoimmune blistering skin disease (Poster) 666
bullous pemphigoid 230 antigen, T-cell recognition in autoimmune blistering skin disease (Poster) 666
burning fingers (Correspondence) 1286
Buschke–Ollendorff syndrome, presentation as familial elastic tissue naevi (Case report) 890

C225, cutaneous side effects 1169
calcineurin, functional activation in human epidermal keratinocytes and inhibition by cyclosporin (Abstract) 660
calcinosis, cutaneous, with juvenile dermatomyositis (Case report) 894
calcitriol in combination with UVB phototherapy in plaque psoriasis 495
calcium channel, cGMP-gated, overexpression of splice variant in lesional psoriatic skin (Abstract) 657
capillaropathy, unilateral progressive pigmented of the arm (Correspondence) 190
carbamazepine, recurrence of sodium valproate-induced pseudolymphoma (Case report) 1235
Castleman's disease, retroperitoneal, with paraneoplastic pemphigus (Case report) 372
cetirizine-induced urticaria (Correspondence) 196
chemotherapy, expression of multidrug-resistance-associated protein in melanoma cells following 745
child abuse, cutaneous simulators (Abstract) 923
childhood
atopic dermatitis
cost of 514
effect of house dust mite avoidance measures (Correspondence) 912, (Correspondence) 913
generalized eruptive histiocytoma (Correspondence) 435
lymphomatoid papulosis (Concise communication) 351
skin diseases in rural Kenya 118
chloroxylenol, allergic contact dermatitis to, depigmentation following (Correspondence) 1275
cholesterol supplementation, effect on photosensitivity in Smith–Lemli–Opitz syndrome (Case report) 143
chronic liver disease, arteriovenous haemangioma in (Case report) 604
ciclopiroxolamine in facial seborrhoeic dermatitis 1033
cidofovir in HIV-associated bowenoid papulosis (Correspondence) 642
clear cell syringofibroadenoma of Mascaro of the nail (Case report) 625
clobetasol propionate, unregulated use (Correspondence) 1095

clothing as sun protection 449, 484
collagen
COL3A1 gene mutation in Ehlers–Danlos syndrome (Correspondence) 1086
COL17A1 mutation causing non-Herlitz junctional epidermolysis bullosa (Abstract) 924
type VI distribution and expression in photoaged skin 751
coma associated with interferon-α therapy in scleromyxoedema (Correspondence) 1283
common variable immunodeficiency, treatment with recombinant human IgG and TNF-α receptor fusion protein (Case report) 597
compartment syndrome following insect bite (Correspondence) 636
complement deficiency, hereditary, associated with dermatomyositis (Case report) 1080
Compositae mix, optimum concentration for patch testing (Abstract) 654
congenital ichthyosiform erythroderma, novel TGM1 mutations (Case report) 401
congenital melanocytic naevi, laser therapy (Abstract) 925
contact dermatitis
granulomatous, to propolis (Correspondence) 1277
prevalence in adolescence 523
contact hypersensitivity response, effect of topical application of AC-YVAD-CMK on (Abstract) 662
corneodesmin gene, association with psoriasis (Abstract) 658
CREST syndrome associated with porphyria cutanea tarda and myelofibrosis (Case report) 182
cryotherapy
basal cell carcinoma 832
warts 1006
cutaneous B-cell lymphoma
abnormalities of *p*15 and *p*16 tumour suppressor genes (Poster) 667
genetics 735
intralesional rituximab (Case report) 1239
cutaneous follicle centre cell lymphoma, Ig heavy chain variable region family expression (Concise communication) 862
cutaneous horns overlying lichen planus hypertrophicus (Correspondence) 424
cutaneous inflammatory pseudotumour (Correspondence) 1271
cutaneous mucinosis of infancy (Case report) 590
cutaneous T-cell lymphoma
comparative genomic hybridisation, allelotyping and cytogenetic studies (Poster) 667
erythrodermic, IL-8 production by tumour cells (Case report) 1073
fludarabine and cyclophosphamide combination chemotherapy 1010
interleukin-15 expression 1016
primary pleomorphic (Correspondence) 903
cutaneous T-cell pseudolymphoma, Fas expression (Correspondence) 903
cyclophilin B secretion by keratinocytes in response to cyclosporin (Abstract) 664
cyclophosphamide and fludarabine in primary cutaneous T-cell lymphoma 1010
cyclosporin
association with nuchal acne keloidalis (Correspondence) 429
inhibition of calcineurin activation in human epidermal keratinocytes (Abstract) 660
intermittent therapy in psoriasis, quality of life and clinical outcome 967
with mycophenolate mofetil in severe recalcitrant pyoderma gangrenosum (Case report) 397
in polymorphic light eruption (Correspondence) 446
secretion of cyclophilin B by keratinocytes in response to (Abstract) 664
cylindroma, expression of alpha-smooth muscle actin in epithelial and stromal components (Poster) 667
cytochrome P450 CYP1A2, effects of systemic and bath PUVA 1127
cytokine gene polymorphisms in psoriasis 849
cytomegalovirus
reactivation, and anticonvulsant hypersensitivity syndrome (Case report) 1231
rubella-like or morbilliform eruptions in non-immunosuppressed IgM antibody positive patients (Correspondence) 203

dacarbazine, adverse effects of treatment in metastatic melanoma (Correspondence) 215
daclizumab in recalcitrant psoriasis (Correspondence) 209
demodicidosis, rosacea-like, associated with AIDS (Case report) 139
dental amalgam-induced oral lichenoid reactions 1024
depigmentation following allergic contact dermatitis to chloroxylenol (Correspondence) 1275
dermatitis herpetiformis, tissue transglutaminase antibody assessment (Correspondence) 196
dermatology and the world wide web (Correspondence) 914
dermatomyositis
with acquired ichthyosis, in hepatocellular carcinoma (Correspondence) 416
association with IgG myeloma (Correspondence) 200
familial adult (Correspondence) 415
hereditary complement deficiency associated (Case report) 1080
juvenile, with cutaneous calcinosis (Case report) 894
predicting factors of malignancy 825
with scleromyxedema (Case report) 359
desmoglein antibodies
in active pemphigus vulgaris 1183
and severity of cutaneous and oral pemphigus 775
dexamethasone, response of recalcitrant necrobiotic xanthogranuloma to high-dose oral (Case report) 158
digital necrosis in hypereosinophilic syndrome (Correspondence) 1087

digital syringomatous carcinoma (Correspondence) 438
diltiazem in juvenile dermatomyositis with cutaneous calcinosis (Case report) 894
dimethylfumarate, effect on chemokine production in human keratinocytes and peripheral blood mononuclear cells 1114
dinitrochlorobenzene (DNCB)
contact sensitisation determination (Abstract) 663
epidermal response to (Abstract) 654
dinitrothiocyanobenzene, epidermal response to (Abstract) 654
discoid lupus erythematosus, antigen-driven scarring mechanisms (Poster) 666
DISH, effects of long-term low-dose isotretinoin on development (Correspondence) 630
dithranol, outpatient short contact treatment (Poster) 670
DNA
photodamage
effects of omega-3 fatty acid supplements on (Abstract) 656
protection against (Abstract) 657
repair tests, in differential diagnosis of atypical dyschromatosis symmetrica hereditaria from xeroderma pigmentosum (Case report) 162
DNCB *see* dinitrochlorobenzene
Dorfman–Chanarin syndrome (Correspondence) 430
doxycycline in suppurative panniculitis with α1-antitrypsin deficiency (Correspondence) 1282
dressings, incendiary potential (Correspondence) 649
drug allergy detection system 316
dyschromatosis symmetrica hereditaria, atypical, differential diagnosis from xeroderma pigmentosum (Case report) 162
dysmorphophobia, familial (Correspondence) 439
dystrophic calcinosis of the scrotum originating from benign eccrine epithelial cysts (Case report) 146
dystrophic epidermolysis bullosa, novel glycine substitution (Case report) 151

eccrine poroma, angiotensin receptors 1189
Ehlers–Danlos syndrome
acrogeric phenotype and COL3A1 gene mutation (Correspondence) 1086
with bladder diverticula (Case report) 1084
enoxaparin, intralesional injection in benign symmetrical lipomatosis (Correspondence) 629
eosinophilia with angio-oedema, cytokine profile (Case report) 169
eperisone hydrochloride, non-pigmenting fixed drug eruption (Correspondence) 1288
epidermolysis bullosa simplex
with mottled pigmentation 40
with plectin deficiency (Abstract) 923
erythema
induced by photodynamic therapy (Poster) 674
protection against (Abstract) 657
erythema nodosum leprosum, sequential, in borderline leprosy (Case report) 175
erythroderma, adolescent-onset ichthyosiform-like with lichenoid tissue reaction (Case report) 1063
Eusolex 4360, severe contact urticaria to (Abstract) 654

famciclovir therapy in genital herpes infection 818
Fas, differential expression in tumour-stage mycosis fungoides and MF-like cutaneous T-cell pseudolymphoma (Correspondence) 903
fat cells, effects on keratinocytes and fibroblasts in reconstructed rat skin model using collagen gel matrix culture 244
fibroblasts
cultured, stimulation of glycosaminoglycan synthesis by melanoma cell-derived factors 465
effects of fat cells on in reconstructed rat skin model using collagen gel matrix culture 244
skin and oral, phenotypic differences in extracellular matrix reorganization and matrix metalloproteinase activity 229
fibro-osseous pseudotumour of the digits (Correspondence) 1274
FKBP12, distribution in atopic dermatitis skin (Poster) 669
fludarabine
in combination with cyclophosphamide, in primary cutaneous T-cell lymphoma 1010
and paraneoplastic pemphigus (Case report) 1255
focal epithelial hyperplasia, topical interferon-β therapy (Case report) 1067
follicular tumours, expression of type I hair keratin 977
folliculitis and multigeminate beard hairs (Correspondence) 427
folliculitis decalvans, treatment (Correspondence) 428
fractalkaline, antigen-presenting cell expression in psoriasis 1105

γ-catenin, detection of antibody in serum of patient with paraneoplastic pemphigus (Case report) 377
gastric carcinoma, metastasis as genital inflammatory lymphoedema (Correspondence) 419
gene gun, differential expression of tissue-specific promoters 34
genital herpes infection, famiciclovir vs. aciclovir therapy 818
genital squamous cell carcinoma following photochemotherapy 1204
giant epidermoid cyst, magnetic resonance imaging (Correspondence) 217
graft-versus-host disease, photochemotherapy (Correspondence) 901
granulocyte-macrophage colony-stimulating factor, topical therapy of vulval radiation dermatitis (Correspondence) 646
granuloma annulare, PUVA 996
granzyme B, role in skin inflammation in atopic dermatitis and psoriasis 1133
griseofulvin, comparison with terbinafine in tinea capitis 321

HaCaT cells
α-MSH inhibition of TNF-α stimulated NF-κB/p65 activation (Poster) 673

PTHrP fragment potentiation of ATP-induced Ca_i release (Abstract) 664
haemodialysis and nail disease (Correspondence) 445
Hailey–Hailey disease, exacerbation by scabies (Correspondence) 211
hair density, diameter and prevalence of female pattern loss 297
hair follicles, human anagen, expression pattern of c-Myc, Max and Bin 1 1193
hamartoneoplastic syndromes (Abstract) 923
HCR(Pg8) gene, association with psoriasis (Abstract) 658
healthcare workers, thiuram allergy and hand dermatitis (Concise communication) 347
heat shock protein, long-lasting expression induced by laser therapy in normal rat skin 260
Heck's disease, topical interferon-β therapy (Case report) 1067
hemiplegia, nail pathology 557
hepatitis C virus-associated oral lichen planus, HLA-DR6 allele frequency 803
hepatocellular carcinoma with acquired ichthyosis and dermatomyositis (Correspondence) 416
herpes simplex, orofacial recrudescence, HSV-specific immune responses in 459
hexafluoro-1,25-dihydroxyvitamin D_3 therapy in plaque psoriasis 500
HFE mutations in porphyria cutanea tarda 533
hidradenitis suppurativa, morbidity associated 809
histiocytoma, generalized eruptive in childhood (Correspondence) 435
Histoplasma capsulatum, in cutaneous nerves of patients with AIDS and disseminated histoplasmosis (Correspondence) 205
histoplasmosis, with AIDs, *H. capsulatum* in cutaneous nerves (Correspondence) 205
HIV infection
bowenoid papulosis, cidofovir therapy (Correspondence) 642
and disseminated histoplasmosis, *H. capsulatum* in cutaneous nerves (Correspondence) 205
rosacea-like demodicidosis associated (Case report) 139
HLA Class I deficiency, granulomatous disease associated (Correspondence) 906
HLA-DR6 allele frequency in hepatitis C virus-associated oral lichen planus 803
house dust mite, effect of avoidance measures in childhood atopic dermatitis (Correspondence) 912, (Correspondence) 913
HTLV-1, DNA integration in cutaneous adult T-cell leukaemia/lymphoma (Case report) 1244
human herpesvirus type 8, lack of association with pyogenic granuloma with satellite recurrence (Correspondence) 202
human papillomaviruses
interaction of e6 protein with p53 (Poster) 674
in Netherton's syndrome 1044
type 18, in extragenital bowenoid papulosis and idiopathic CD4+ lymphocytopenia (Case report) 619
type 58, in Bowen's disease of the elbow (Case report) 384
and warts (Poster) 673
hydroa vacciniforme, late-onset (Case report) 874
hydroxyethyl starch, pruritus associated 973
hypereosinophilic syndrome, digital necrosis in (Correspondence) 1087
Hypericum extract, synergistic toxicity with δ-aminolaevulinic acid-induced protoporphyrin IX (Correspondence) 916
hypokalaemic tetraparesis in subacute cutaneous lupus erythematosus (Case report) 622

ichthyosiform erythroderma, congenital, progressive macular leucoderma associated (Correspondence) 1280
ichthyosis
autosomal recessive lamellar 726
with dermatomyositis in hepatocellular carcinoma (Correspondence) 416
idiopathic hypereosinophilic syndrome, skin lesions (Correspondence) 639
IgA BMZ autoantibodies
in bullous pemphigoid (Poster) 665
in saliva in subepidermal immunobullous diseases (Poster) 665
IgG BMZ antibodies
in bullous pemphigoid (Poster) 665
effects of plasmapheresis (Poster) 664
saliva and serum as sources in immunobullous disease (Poster) 665
IgG myeloma associated with dermatomyositis (Correspondence) 200
imiquimod cream in treatment of actinic keratosis 1050
immunoglobulins
heavy chain variable region family expression in primary cutaneous follicle centre cell
lymphoma (Concise communication) 862
IgG subclass restriction in lupus band (Poster) 672
recombinant human IgG, in treatment of common variable immunodeficiency (Case report) 597
immunosuppression, UVB-induced, role of tumour necrosis factor-α 952
Infants' Dermatitis Quality of Life Index 104
inflammatory linear verrucous epidermal naevus, laser therapy (Correspondence) 1267
insect bite, compartment syndrome following (Correspondence) 636
α6β4 integrin abnormalities in junctional epidermolysis bullosa with pyloric atresia (Case report) 408
interferon-α
adverse effects of treatment in metastatic melanoma (Correspondence) 215
in scleromyxoedema, coma associated (Correspondence) 1283
interferon-β, topical treatment of Heck's disease (Case report) 1067
interleukins
IL-1
counter-regulation of pro- and anti-inflammatory ligands in murine keratinocytes (Abstract) 662
gene cluster polymorphisms in alopecia areata (Abstract) 657

IL-1α, effects of humidity on epidermal generation 238
IL-1β, modulation of human epidermal Langerhans cell frequency by (Abstract) 660
IL-8 production by tumour cells in erythrodermic cutaneous T-cell lymphoma (Case report) 1073
IL-15 expression in cutaneous T-cell lymphoma 1016
IL-18 in contact allergen-induced Langerhans cell migration (Abstract) 662
intermediate filament human mutation database (Poster) 672
isotretinoin
long-term low-dose, effects on development of DISH (Correspondence) 630
nasolabial follicular sebaceous casts associated with therapy (Correspondence) 919
reports of sustained dreaming during use (Correspondence) 919

junctional epidermolysis bullosa
late-onset, expression of 19-DEJ-1 epitope (Case report) 1054
non-Herlitz
caused by COL17A1 mutation (Abstract) 924
functional properties of keratinocytes (Abstract) 661
with pyloric atresia
α6β4 integrin abnormalities (Case report) 408
molecular basis (Poster) 671

Kaposi's sarcoma, penile, in HIV-negative patient (Correspondence) 207
Kenya, rural, childhood skin diseases 118
keratinocytes
effects of fat cells on in reconstructed rat skin model using collagen gel matrix culture 244
human epidermal, functional activation of calcineurin in (Abstract) 660
investigation into downstream effectors of the sonic hedgehog pathway (Abstract) 664
murine, counter-regulation of pro- and anti-inflammatory IL-1 ligands (Abstract) 662
in non-Herlitz junctional epidermolysis bullosa (Abstract) 661
oral, activation by mercuric chloride 1024
plasma copolymer surfaces for culture (Poster) 669
in psoriasis, nitric oxide production and NFκB activity (Abstract) 659
keratins
type 1
diverse phenotypes arising from mutations (Poster) 670
expression in follicular tumours 977
type 2 as marker for inner root sheath of hair follicle (Abstract) 661
type 14, ablation of expression by chimeric ribozymes (Poster) 671
type 16 mutation in delayed onset pachyonychia congenita (Case report) 1058
keratosis follicularis squamosa (Dohi) (Case report) 1070
keratosis lichenoides chronica, characteristics and response to acitretin (Correspondence) 422
Kikuchi's disease and the skin (Case report) 885
Kindler syndrome with squamous cell carcinoma of the hard palate (Correspondence) 1284
KIT serum levels in atopic dermatitis 1148
Koreans, pigmentation 94

lactoferrin, exogenous topical, effect on Langerhans cell migration and cutaneous inflammation 715
lamotrigine, extensive fixed drug eruption (Correspondence) 1289
Langerhans cell histiocytosis, aggressive multisystem presenting with skin lesions (Abstract) 924
Langerhans cells
contact allergen-induced migration, role of IL-18 (Abstract) 662
depletion by UVA1 exposure 1161
effect of topical application of AC-YVAD-CMK on migration (Abstract) 662
human epidermal, modulation of frequency by IL-1β (Abstract) 660
laser therapy
acquired vulval lymphangioma (Correspondence) 442
congenital melanocytic naevi (Abstract) 925
induction of long-lasting heat shock protein expression in normal rat skin 260
in inflammatory linear verrucous epidermal naevus (Correspondence) 1267
multiple cutaneous neurofibroma (Correspondence) 1096
promotion of repair of three-dimensional network of elastic fibres in rat skin 452
and repigmentation in vitiligo (Correspondence) 1266
resistant port-wine stain 814
traumatic tattoo (Correspondence) 219
leg ulcers, post-thrombotic, factor V Leiden mutation and resistance to activated protein C 546
lentigines, development within naevoid hypopigmentation (Correspondence) 188
lentigo maligna, current UK treatment practice 71
leprosy, borderline, sequential erythema nodosum leprosum and reversal reaction (Case report) 175
leukaemia
chronic lymphatic, cutaneous presentation and response to phototherapy (Correspondence) 1092
chronic lymphocytic, Merkel cell tumour associated (Correspondence) 216
leukotriene E_4 urinary excretion in atopic dermatitis 19
lichen myxoedematosus with cardiac abnormalities (Case report) 594
lichen planus
amlodipine-associated (Correspondence) 920
hepatitis C virus-associated oral, HLA-DR6 allele frequency 803
lichen planus hypertrophicus, cutaneous horns overlying (Correspondence) 424
lichen sclerosus et atrophicus, generalized ulcerating bullous,

isolation of *Borrelia afzelii* from skin lesion (Case report) 387
lichen simplex, scrotal, surgical excision (Correspondence) 915
linear IgA disease
with autoimune lymphoproliferative syndrome (Abstract) 925
with renal cell carcinoma (Case report) 870
lipomatosis, benign symmetrical, intralesional enoxaparin injection (Correspondence) 629
liver, methotrexate-induced fibrosis, routine screening 100
local lymph node assay (Abstract) 654
influence of vehicle (Abstract) 654
lomefloxacin, photosensitization of p53 protein transactivation (Poster) 675
lupus band, IgG subclass restriction (Poster) 672
lupus erythematosus
apoptosis in different cutaneous manifestations 958
clustering of polymorphic light eruption in relatives of patients 334
photosensitive variant 292
subacute 450
subacute cutaneous, hypokalaemic tetraparesis in (Case report) 622
lupus vulgaris following BCG vaccination (Correspondence) 444
lymphangioma, vulval, laser therapy (Correspondence) 442
lymphocytopenia, idiopathic CD4+, HPV-18 in (Case report) 619
lymphoedema, genital inflammatory, as metastasis of gastric carcinoma (Correspondence) 419
lymphoma, CD4+ CD56+ natural killer-like T-cell systemic, with haemorrhagic cutaneous manifestations (Correspondence) 432
lymphomatoid papulosis in childhood (Concise communication) 351

magnetic resonance imaging, giant epidermoid cyst (Correspondence) 217
Malassezia spp.
cell-mediated immunity to mycelial phase in pityriasis versicolor and controls 77
folliculitis, and seborrhoeic dermatitis 549
mal de Meleda, genetic homozygosity in affected individuals 731
mast cell granule structural diversity in black and white skin 85
mastocytoma, giant inguinal and suprapubic (Correspondence) 208
mastocytosis
cutaneous
bone marrow involvement 561
nodular and bullous (Case report) 355
recent advances in definition (Review article) 682
Max expression in human anagen hair follicles 1193
melanin, regulation by melanosomal pH (Abstract) 660
melanin-concentrating hormone as paracrine inhibitor of melanogenesis (Poster) 668
melanocytes
nitric oxide synthase expression (Poster) 669
tyrosinase-related protein expression and sensitivity to oxidative stress in vitiligo 55
α-melanocyte stimulating hormone, inhibition of TNF-α stimulated NF-κB/p65 activation in HaCaT keratinocytes (Poster) 673
melanoma
acantholysis associated (Case report) 1249
adjuvant radiotherapy following regional lymph node resection 66
cell-derived factors, effect on glycosaminoglycan synthesis by cultured fibroblasts 465
clinical correlates of Breslow thickness 476
detection of melanoma cells in peripheral blood by polymerase chain reaction 279
expression of multidrug-resistance-associated protein following chemotherapy 745
intracerebral with neurocutaneous melanosis (Abstract) 924
metastatic, adverse effects of interferon-α and dacarbazine treatment (Correspondence) 215
radiotherapy 1
time from first suspicion to surgery (Poster) 670
and timing of excessive UV radiation 471
melanosomes, effect of pH on melanin production (Abstract) 660
Meleda disease, genetic homozygosity in affected individuals 731
Menière's disease with α-*N*-acetylgalactosaminidase deficiency and angiokeratoma corporis diffusum (Case report) 363
mercuric chloride, activation of oral keratinocytes 1024
mercury intoxication (Correspondence) 192
Merkel cell tumour associated with chronic lymphocytic leukaemia (Correspondence) 216
Merseyside, prevalence of solar damage and actinic keratosis (Correspondence) 437
methotrexate-induced liver fibrosis, routine screening 100
methylprednisolone, intra-articular, association with chronic urticaria (Case report) 1228
mitochondrial DNA tandem duplications and point mutations in sun-exposed human skin (Abstract) 655
mixed immunobullous disease of childhood 769
Mohs' micrographic surgery in squamous cell carcinoma (Correspondence) 186
molluscum contagiosum with atopic dermatitis (Correspondence) 1094
mucinosis
cutaneous of infancy (Case report) 590
reticular erythematous, hormonal influences (Correspondence) 633
multidrug-resistance-associated protein expression in melanoma cells following chemotherapy 745
c-*Myc*
effects of activation in murine skin (Poster) 668
expression in human anagen hair follicles 1193

Mycobacterium vaccae, cutaneous toxicity following intradermal vaccination (Correspondence) 648
mycophenolate mofetil
in atopic dermatitis (Correspondence) 638
with cyclosporin in severe recalcitrant pyoderma gengrenosum (Case report) 397
as systemic antipsoriatic agent (Concise communication) 583
topical in plaque psoriasis (Correspondence) 1263
mycosis fungoides
allelotyping in (Abstract) 659
Fas expression (Correspondence) 903
photodynamic therapy (Correspondence) 1262
myelofibrosis
association with CREST syndrome and porphyria cutanea tarda (Case report) 182
blastic transformation heralded by panniculitis (Correspondence) 905

naevoid hypopigmentation, development of lentigines within (Correspondence) 188
naevus achromicus, unilateral, in checkerboard mosaic pattern with congenital agminated Spitz naevi (Correspondence) 187
nail
clear cell syringofibroadenoma of Mascaro (Case report) 625
congenital malalignment of left index fingernail (Correspondence) 911
disease in haemodialysis patients (Correspondence) 445
oral terbinafine therapy in toenail onychomycosis (Correspondence) 1098
pathology in hemiplegia 557
pustular psoriasis 1000
naproxen, fixed drug eruption (Correspondence) 1291
nasolabial follicular sebaceous casts associated with isotretinoin therapy (Correspondence) 919
natural killer cells in peripheral blood in psoriasis (Poster) 673
NC/Nga Tnd mouse, skin barrier function 12
necrobiosis lipoidica, ulcerated (Correspondence) 907
Netherton's syndrome, human papillomavirus infection 1044
neurocutaneous melanosis with intracerebral melanoma (Abstract) 924
neurofibroma, multiple cutaneous, laser therapy (Correspondence) 1096
neurothekeoma, subcutaneous cellular (Correspondence) 1273
nitric oxide, production by keratinocytes in psoriasis (Abstract) 659
nitric oxide synthase expression by human melanocytes (Poster) 669
nocardiosis, primary cutaneous (Correspondence) 639

Odense Adolescence Cohort Study on Atopic Diseases and Dermatitis 523
oedema blisters, acute (Concise communication) 580
oestrogen receptors in normal skin (Poster) 668
omega-3 fatty acid supplements
effect on basal or UVB-generated cytokines in human skin (Poster) 674
protection against UVR-induced DNA damage in peripheral blood lymphocytes (Abstract) 656
onychomycosis
distal and lateral subungual, with primary onycholysis caused by *T. violaceum* (Correspondence) 212
toenail, oral terbinafine therapy (Correspondence) 1098
oral cavity, dental amalgam-induced lichenoid reactions 1024
oral contraceptives, photosensitivity reaction (Correspondence) 641

*p*15 tumour suppressor genes, abnormalities in primary cutaneous B-cell lymphoma (Poster) 667
*p*16 tumour suppressor genes, abnormalities in primary cutaneous B-cell lymphoma (Poster) 667
*p*53 gene
effect of codon 72 polymorphisms on susceptibility to skin cancer (Abstract) 658
mutation in basal cell carcinoma 841
p53 protein
expression in basal cell carcinoma 841
interaction with HPV e6 protein (Poster) 674
transactivation, photosensitization by lomefloxacin (Poster) 675
pachyonychia congenita
delayed onset, keratin 16 mutation (Case report) 1058
mutations and clinical presentations 929
panniculitis
heralding blastic transformation on myelofibrosis (Correspondence) 905
idiopathic nodular (Abstract) 926
suppurative, doxycycline therapy (Correspondence) 1282
pansclerotic morphea with squamous cell carcinoma (Correspondence) 417
paracetamol, effect on irradiation-induced DNA damage (Poster) 676
parathyroid hormone-related protein fragments
potentiation of ATP-induced Ca_i release from HaCaT cells (Abstract) 664
role in squamous differentiation in epidermis and hair follicle (Poster) 668
patch testing
effect on quality of life (Abstract) 655
optimum concentration Compositae mix (Abstract) 654
pemphigoid gestationis, target epitopes for autoantibodies (Abstract) 661
pemphigus
autoantibodies against ectodomain of desmoglein 3 in active disease 1183
clinical transition with pemphigus foliaceus, changes in autoantibody profile 1177
paraneoplastic
association with fludarabine (Case report) 1255
detection of γ-catenin (plakoglobin) antibody in serum (Case report) 377

localized variant (Case report) 1249
with retroperitoneal Castleman's disease (Case report) 372
role of tumours and drugs 1102
without antidesmoglein autoantibodies (Case report) 610
severity related to desmoglein antibody levels 775
pemphigus foliaceus
clinical transition with pemphigus vulgaris, changes in autoantibody profile 1177
drug-induced (Correspondence) 421
penis
Kaposi's sarcoma in HIV-negative patient (Correspondence) 207
porokeratosis (Correspondence) 643
percutaneous endoscopic gastrostomy feeding in toxic epidermal necrolysis (Correspondence) 1286
perforin, role in skin inflammation in atopic dermatitis and psoriasis 1133
peripheral T-cell lymphoma with cutaneous infiltration, gene expression profile (Case report) 878
photoaged skin, distribution and expression of type VI collagen 751
photochemotherapy
genital squamous cell carcinoma following 1204
severe erythrodermic acute graft-versus-host disease (Correspondence) 901
photodynamic therapy
acne vulgaris 575
actinic keratosis (Poster) 676
basal cell carcinoma 832
Bowen's disease, solar keratoses and superficial basal cell carcinoma 567
characteristics of erythema induced by (Poster) 674
effect on appearance of UV-induced skin tumours in mice 1207
effect on cutaneous microbial species 274
in vivo imaging of fluorescence during (Poster) 675
mycosis fungoides (Correspondence) 1262
photosensitivity
with oral contraceptive use (Correspondence) 641
in Smith–Lemli–Opitz syndrome, effect of cholesterol supplementation (Case report) 143
phototherapy
chronic lymphatic leukaemia (Correspondence) 1092
chronic plaque psoriasis (Abstract) 655
in combination with calcitriol in plaque psoriasis 495
pityriasis rubra pilaris (Correspondence) 430
psoriasis (Poster) 675
vitiligo following (Correspondence) 1264
response of tacalcitol pretreated psoriasis (Correspondence) 628
pigmentation, Koreans 94
pili migrans, cutaneous (Correspondence) 219
pityriasis rosea, viral aetiology (Correspondence) 1090
pityriasis rubra pilaris, phototesting and phototherapy (Correspondence) 430
pityriasis versicolor, cell-mediated immunity to mycelial phase of *Malassezia* spp. 77
Pityrosporum see Malassezia spp.
plakoglobin, detection of antibody in serum of patient with paraneoplastic pemphigus (Case report) 377
plasma cell granuloma (Correspondence) 1271
plasma copolymer surfaces for keratinocyte culture (Poster) 669
plectin
deficiency, with epidermolysis bullosa simplex (Abstract) 923
as target antigen in bullous pemphigoid (Concise communication) 136
polymorphic light eruption
clustering in relatives of patients with lupus erythematosus 334
cyclosporin therapy (Correspondence) 446
polymyositis, predicting factors of malignancy 825
porokeratosis, penile (Correspondence) 643
porphyria, homozygous variegate, mutations in protoporphyrinogen oxidase gene (Case report) 866
porphyria cutanea tarda
association with idiopathic myelofibrosis and CREST syndrome (Case report) 182
HFE mutations and transferrin receptor polymorphism analysis 533
port-wine stain
and atopic dermatitis (Correspondence) 1269
laser therapy 814
pyogenic granuloma arising in during pregnancy (Correspondence) 644
pregnancy, pyogenic granuloma arising in port-wine stain during (Correspondence) 644
progesterone receptors in normal skin (Poster) 668
progressive macular leucoderma in congenital ichthyosiform erythroderma (Correspondence) 1280
prolidase deficiency, mild late-onset (Correspondence) 635
Propionibacterium acnes, characterization of antibiotic-resistant strains from acne patients 339
propolis, granulomatous contact dermatitis to (Correspondence) 1277
propylthiouracil, effect on adenosine deaminase activity and thyroid function in psoriasis 1121
protein kinase Cα localisation during epidermal wound healing (Abstract) 663
proteoglycan expression in normal skin and chronic ulcers 254
protoporphyrin IX
assessment of metabolism and phototoxicity 983
δ-aminolaevulinic acid-induced, synergistic toxicity with *Hypericum* extract (Correspondence) 916
protoporphyrinogen oxidase gene, mutations in homozygous variegate porphyria (Case report) 866
prurigo nodularis, α-MSH-like immunoreactivity expression by endothelial cells (Correspondence) 1278
pruritus, hydroxyethyl starch-associated 973
pseudolymphoma, sodium valproate-induced, recurrence with carbamazepine (Case report) 1235
pseudo-pseudoxanthoma elasticum, spontaneous resolution (Correspondence) 213

pseudotumour
cutaneous inflammatory (Correspondence) 1271
fibro-osseous of the digits (Correspondence) 1274
psoriasis
animal model (Review article) 931
antigen-presenting cell fractalkaline expression 1105
association with HCR(Pg8) gene (Abstract) 658
corneodesmin gene association (Abstract) 658
cytokine gene polymorphisms 849
differences in efficacy between intention-to-treat and per-protocol analyses 1154
effect of propylthiouracil on adenosine deaminase activity and thyroid function 1121
intermittent cyclosporin therapy, quality of life and clinical outcome 967
keratinocytes, nitric oxide production and NFκB activity (Abstract) 659
natural killer cells in peripheral blood (Poster) 673
phototherapy (Poster) 675
vitiligo following (Correspondence) 1264
plaque
combination therapy of calcitriol and UVB phototherapy 495
hexafluoro-1,25-dihydroxyvitamin D_3 therapy 500
phototherapy (Abstract) 655
topical mycophenolate mofetil (Correspondence) 1263
pustular of the nails 1000
putative mRNA editing enzymes (Abstract) 657
recalcitrant, daclizumab therapy (Correspondence) 209
role of perforin and granzyme B in skin inflammation 1133
scalp, with familial scarring alopecia (Correspondence) 425
skin cancer and climatotherapy (Correspondence) 202
susceptibility gene (Abstract) 657
systemic mycophenolate mofetil treatment (Concise communication) 583
tacalcitol pretreatment and response to phototherapy (Correspondence) 628
psoriatic arthritis, antitumour necrosis factor-α antibody therapy (Concise communication) 587
PUVA
characteristics of erythema induced by topical and systemic (Abstract) 656
concentration-dependent phototoxicity 490
effect on cytochrome P450 CYP1A2 1127
granuloma annulare 996
kinetics and dose-response of photosensitivity 991
pyloric atresia, with junctional epidermolysis bullosa, molecular basis (Poster) 671
pyoderma gangrenosum
severe oropharyngeal involvement and IgA paraproteinaemia (Case report) 393
severe recalcitrant, mycophenolate mofetil with cyclosporin therapy (Case report) 397
pyoderma vegetans and ulcerative colitis (Case report) 1224
pyogenic granuloma
arising in port-wine stain during pregnancy (Correspondence) 644
with satellite recurrence, lack of association with HHV-8 (Correspondence) 202

quality of life
effect of patch testing on (Abstract) 655
Infants' Dermatitis Quality of Life Index 104

radiation dermatitis of the vulva, topical GM-CSF therapy (Correspondence) 646
radiotherapy of melanoma 1, 66
regional anaesthesia in botulinum toxin therapy for palmar hyperhidrosis (Correspondence) 632
renal cell carcinoma with linear IgA bullous dermatosis (Case report) 870
retinoic acid receptor-α in aged human skin (Abstract) 660
rituximab, intralesional, in cutaneous B-cell lymphoma (Case report) 1239
Rombo syndrome (Case report) 1215

St John's wort extract, synergistic toxicity with δ-aminolaevulinic acid-induced protoporphyrin IX (Correspondence) 916
scabies
exacerbation of Hailey–Hailey disease (Correspondence) 211
hidden (Case report) 614
scalp, angiosarcoma (Case report) 380
Schamberg's disease of the arm (Correspondence) 190
scleromyxoedema
with dermatomyositis (Case report) 359
interferon-α therapy, coma associated (Correspondence) 1283
scrotum
dystrophic calcinosis originating from benign eccrine epithelial cysts (Case report) 146
lichen simplex, surgical excision (Correspondence) 915
SDZ ASM 981
in atopic dermatitis 788
in childhood atopic dermatitis 781
and skin atrophy 507
sebaceous gland differentiation in trichoblastoma (Correspondence) 1090
seborrhoeic dermatitis
efficacy and tolerability of oral terbinafine (Concise communication) 854
facial, ciclopiroxolamine treatment 1033
and *Malassezia* folliculitis 549
selenium deficiency, effect on Langerhans cell numbers in mouse epidermis (Abstract) 656
sensitive skin, epidemiological and investigative studies (Abstract) 654
severe combined immunodeficiency, mouse–human skin chimeras, model for psoriasis (Review article) 931
Sézary cell immunotyping 2, 125
Sézary syndrome
allelotyping in (Abstract) 659
characterization of Vb T-cell receptor gene usage (Poster) 676

skin cancer
effect of p53 codon 72 polymorphisms on susceptibility to (Abstract) 658
non-melanoma, urocanic acid isomers (Concise communication) 858
skin thickness, influence of body water distribution on 947
Smith–Lemli–Opitz syndrome, effect of cholesterol supplementation on photosensitivity (Case report) 143
solar damage prevalence in Merseyside population (Correspondence) 437
solar keratosis, photodynamic therapy 567
sonic hedgehog pathway, investigation into downstream effectors in primary keratinocytes (Abstract) 664
Spitz naevus, congenital agminated, in checkerboard mosaic pattern with unilateral naevus achromicus (Correspondence) 187
squamous cell carcinoma
genital, following photochemotherapy 1204
hard palate, with Kindler syndrome (Correspondence) 1284
Mohs' micrographic surgery (Correspondence) 186
in patient with long standing pansclerotic morphea (Correspondence) 417
staphylococcal scalded skin syndrome, iatrogenic infant injury in (Abstract) 926
Staphylococcus aureus, methicillin-resistant, in childhood atopic dermatitis (Abstract) 925
stem cell factor
elevated serum levels in atopic dermatitis 1148
local expression and systemic release in systemic sclerosis (Correspondence) 199
stump acne (Correspondence) 647
subcutaneous cellular neurothekeoma (Correspondence) 1273
subepidermal immunobullous diseases, IgA BMZ autoantibodies in saliva (Poster) 665
sun-exposed human skin, tandem duplications and point mutations in mitochondrial DNA (Abstract) 655
sun protection with clothing 449, 484
sunscreen
quantity used by European students 288
severe contact urticaria to (Abstract) 654
use (Correspondence) 918
sweat glands
angiotensin receptors 1189
differentiation in trichoblastoma (Correspondence) 1090
in vivo pharmacological stimulation with cutaneous microdialysis (Abstract) 659
systemic lupus erythematosus, presentation with oral mucosal lesions (Case report) 1219
systemic sclerosis, stem cell factor local expression and systemic release (Correspondence) 199

tacalcitol, psoriasis pretreatment with and response to phototherapy (Correspondence) 628
tacrolimus-binding protein distribution in atopic dermatitis skin (Poster) 669
tattoo, traumatic, laser therapy (Correspondence) 219
T cells
CD4+CD8+ (thymocyte-like), in blood and skin in atopic dermatitis 1140
DerP1-specific CD8+, identification and characterisation in peripheral blood of atopic individuals (Abstract) 663
teledermatology (Review article) 696
telemedicine system, evaluation 328
terbinafine
comparison with griseofulvin in tinea capitis 321
efficacy and tolerability in seborrhoeic dermatitis (Concise communication) 854
oral therapy in toenail onychomycosis (Correspondence) 1098
thalidomide 227
amenorrhoea induced by (Correspondence) 1292
usage in Wales 310
T-helper cells, cytometric assay for subtypes in whole blood 24
thiuram allergy in healthcare workers with hand dermatitis (Concise communication) 347
tinea capitis
comparison of terbinafine and griseofulvin treatment 321
transmission at the hairdresser (Case report) 898
tissue-specific promoters, differential expression by gene gun 34
tongue discoloration (Correspondence) 1293
toxic epidermal necrolysis, percutaneous endoscopic gastrostomy feeding (Correspondence) 1286
transferrin receptors, polymorphism analysis in porphyria cutanea tarda 533
transforming growth factor-β3 expression in acquired reactive perforating collagenosis (Correspondence) 197
transglutaminase antibody tissue assessment in dermatitis herpetiformis (Correspondence) 196
trichoblastoma with sebaceous and sweat gland differentiation (Correspondence) 1090
Trichophyton violaceum, subungual onychomycosis with primary onycholysis (Correspondence) 212
tuberculous gumma following venepuncture (Case report) 601
tumour necrosis factor-α, role in UVB-induced immunosuppression 952
tumour necrosis factor-α receptor fusion protein, in treatment of common variable immunodeficiency (Case report) 597
tyrosinase-related protein expression by melanocytes in vitiligo 55

ulcerative colitis and pyoderma vegetans (Case report) 1224
ultraviolet radiation
effects of UVA1 exposure on Langerhans cells and epidermal antigen-presenting cells 1161
excessive, and radiation-induced melanoma 471
protection by summer textiles 449, 484
urocanic acid isomers, in non-melanoma skin cancer (Concise communication) 858
urticaria
and angio-oedema, management and diagnostic guidelines 708

cetirizine-induced (Correspondence) 196
chronic, associated with intra-articular methylprednisolone (Case report) 1228
severe contact, to Eusolex 4360 in sunscreens (Abstract) 654

venepuncture, tuberculous gumma following (Case report) 601
vitiligo
following phototherapy in psoriasis (Correspondence) 1264
melanocyte tyrosinase-related protein expression and sensitivity to oxidative stress 55
repigmentation with laser therapy (Correspondence) 1266
vulva
lymphangioma, laser therapy (Correspondence) 442
radiation dermatitis, topical GM-CSF therapy (Correspondence) 646

warts
and human papillomavirus (Poster) 673
liquid nitrogen cryotherapy 1006
local treatment (Poster) 677
management guidelines 4
world wide web and dermatology (Correspondence) 914
wound healing, localisation of protein kinase Cα during (Abstract) 663

xanthogranuloma
juvenile, mononuclear variant (Correspondence) 909
response to high-dose oral dexamethasone with prednisolone maintenance therapy (Case report) 158
xeroderma pigmentosum, differential diagnosis from atypical dyschromatosis symmetrica hereditaria (Case report) 162

zinc transporter protein gene (*znt4*) and acrodermatitis enteropathica (Poster) 671